



4WD SUSPENSION EQUIPMENT  
**PARTS CATALOGUE**  
OCTOBER 2024  
RAW4X4.COM.AU



**MILD TO WILD**

NO PRICING



# AUSTRALIA'S LEADER IN TRUCK SUSPENSION BRING YOU RAW 4X4




## WHEN CHOOSING YOUR TRUCK TOUGH SUSPENSION REMEMBER TO:

- Identify what the vehicle will be used for the majority of the time. E.g. Recreational, constant load, work vehicle etc.
- Are accessories fitted to the vehicle or will they be added in the future (e.g. bull bar, winch, rear tyre carrier, long range fuel tank).
- Never assume the vehicle is at a standard ride height, a previous owner may have modified the vehicle (check for different colour coil springs or extra leafs in the leaf spring pack)
- Be aware if the vehicle has already been fitted with aftermarket or modified springs the new springs may not give the height change expected.
- Always measure the vehicles eye brow height measurement before removing the old springs & when the new springs have been fitted after a test drive.

## NEED SOME HELP SELECTING YOUR SUSPENSION COMPONENTS?

Visit the RAW 4x4 website @ [raw4x4.com.au](http://raw4x4.com.au) and use the Kit Builder to assist you with your suspension kit selection process. With easy drop down boxes for accessory selection and a weight calculator, building your own kit has never been easier.



[RAW4X4.COM.AU](http://RAW4X4.COM.AU)



02 4949 0000

Published September 2024 © Copyright RAW 4x4

The prices listed in this catalogue (RRP) are valid from September 2024.

All the information contained in this catalogue was correct at date of publication, information is subject to change without notice.

# RAW 4X4 PARTS CATALOGUE

# CONTENTS



## FRONT SECTION

4. RAW 4x4 suspension kits

## CATALOGUE LISTINGS

7. CHEVROLET	42. HYUNDAI	73. MITSUBISHI
8. DAIHATSU	43. ISUZU	88. NISSAN
10. DODGE	52. JEEP	104. RANGE ROVER
11. FORD	60. LAND ROVER	106. SSANGYONG
27. FOTON	64. LDV	107. SUZUKI
28. GREAT WALL	65. MAZDA	108. TOYOTA
29. HOLDEN	70. MERCEDES BENZ	147. VOLKSWAGEN

## REAR SECTION

- 150. BSK Kit Components Breakdown
- 156. 4WD Accessories - Load Ratings
- 157. Suspension Kit Components: Adjustable Panhard Rods, Castor Bush Kits, Long Travel Shocks, Adjustable Rear Trailing Arms
- 158. Warranty Terms & Conditions
- 159. Warranty Registration Form
- 160. How to Measure: Shocks, Eye Brow Height, Coil & Leaf Springs, Torsion Bars
- 162. Product ID Form
- 163. Measure Shock with Leaf Spring Suspension Form





# RAW 4X4

# SUSPENSION KITS



If you're considering fitting aftermarket accessories, travelling prolonged periods on corrugated tracks or just want to improve the performance of your 4WD you need to upgrade your suspension.

RAW 4x4 have designed and developed a complete range of heavy duty suspension equipment and tuned these components to our strut and shock absorber range to provide a controlled and comfortable ride.

## KITS INCLUDE:

- Leaf springs
- Coil springs
- Torsion bars
- Panhard rods
- Trailing arms
- Shackles
- Pin kits
- U-bolts
- Polyurethane bushes
- Castor bush kits





RAW 4x4 Nitro range will improve ride quality, reduce body roll & increase vehicle stability and control.

Well suited to the recreational 4WDriver who is looking to lift the vehicle and improve overall suspension performance.



RAW 4x4 Nitro Max is the heavy weight contender specifically designed for heavy coil sprung & torsion bar vehicles. Nitro Max shocks use a proven truck shock absorber design with highly tuned valving for 4WD applications carrying heavy loads & travel demanding terrain.

Recommend for extra heavy duty applications, long distant touring and mining vehicles.



RAW 4x4 Predator range brings together on road prowess & off road durability into a fast acting monotube design. Manufactured in Australia the Predator delivers that elusive feeling of comfort & control.

If you use your 4WD for day to day running around & off road adventures on the weekend, the Predator is what you are looking for.





**FROM MILD**

**TO WILD**

**RAW**<sup>®</sup>  
**4x4**



# CHEVROLET

## SUBURBAN

K2500, K3500

2000 - 2010

IFS Front / Leaf Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Big Bore	0-50mm	Hydraulic Truck Shock Absorber	P1169M1	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Big Bore	0-50mm	35mm Bore Oil Filled	LTS846M3Y	2



# DAIHATSU

## FEROZA / SPORTRAK

### F310

10/1992 - 09/1997

Torsion Bar Front / Leaf Spring Rear

Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6897BY	2
-------	-----	--------------------------------	---------	---

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	N/A	2
-------	-----	--------------------------------	-----	---

## ROCKY / FOURTRACK / TAFT

### F70, F75, F80, F85

06/1984 - 07/1993

Leaf Spring Front / Leaf Spring Rear

Hard Top **NOTE: Excluding Ute / Trayback**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6019M3Y	2
-------	-----	--------------------------------	----------	---

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6019M3Y	2
-------	-----	--------------------------------	----------	---

### F77, F87

11/1986 - 1993

Leaf Spring Front / Leaf Spring Rear

Ute / Trayback **NOTE: Excluding Hard Top - see previous listing**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6019M3Y	2
-------	-----	--------------------------------	----------	---

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6164Y	2
-------	-----	--------------------------------	--------	---





## RAM DJ

2500

2014 - 2018

Coil Spring Front / Coil Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	STD	46mm Bore Monotube Nitrogen Gas Charged	PR1011S	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM540M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2486	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM273M5	2
COIL SPRINGS				
Linear Rate	50mm	0 - 250kg	RC-2488	1 PAIR
Progressive Rate	50mm	250-500kg	RC-2505	1 PAIR

## RAM DJ II

2500

2019 on

Coil Spring Front / Coil Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	STD	45mm Bore Nitrogen Gas Technology	NM1027M3	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM540M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2486	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	STD	45mm Bore Nitrogen Gas Technology	NM273M5	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM498M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 250kg	RC-2488	1 PAIR
Progressive Rate	50mm	250-500kg	RC-2505	1 PAIR



# DODGE

## RAM DS

1500

2012 - 2019

Coil Spring Front / Coil Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1475S	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2491	1 PAIR
Linear Rate	50mm	100-250kg	RC-2502	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997M2	2
Big Bore	0-50mm	Hydraulic Truck Shock Absorber - Heavy Duty	P1210M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2492	1 PAIR
Linear Rate	50mm	100 - 300kg	RC-2503	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-2504	1 PAIR

# DODGE

## RAM DT

1500

2019 on

Coil Spring Front / Coil Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1475S	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2491	1 PAIR
Linear Rate	50mm	100-250kg	RC-2502	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM498M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-2492	1 PAIR
Linear Rate	50mm	100 - 300kg	RC-2503	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-2504	1 PAIR



# FORD

## COURIER

PC, PD, PE, 4WD UTE

1987 - 11/2006

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897M2BY	2
TORSION BARS				
Rate Increased		(Length - 926mm)	TB1546	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL892	2
Constant Load	40mm	200 - 400kg	RL893	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1015	1





# FORD

## EVEREST

UA

2015 - 06/2018

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR898S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC957	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA351	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2298	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2463	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 50kg	RC-2300	1 PAIR
Variable Rate	40mm	50 - 80kg	RC-2410	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2418	1 PAIR
PRE-ASSEMBLED STRUTS				
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR898S-2298	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	PR898S-2463	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	PR898S-2464	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Variable Rate)	PR898S-2300	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Variable Rate)	PR898S-2410	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	PR898S-2418	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR1016S	2
COIL SPRINGS				
Linear Rate	40mm	0 - 100kg	RC-2481	1 PAIR
Linear Rate	40mm	100 - 300kg	RC-3009	1 PAIR



# FORD

## EVEREST

UA

06/2018 on

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1110S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC960	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA351	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2490	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2513	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR1016S	2
COIL SPRINGS				
Linear Rate	40mm	0 - 100kg	RC-2481	1 PAIR
Linear Rate	40mm	100 - 300kg	RC-3009	1 PAIR



# FORD

## F SERIES

### F250

2000 -2003

Leaf Spring Front / Leaf Spring Rear

Ute / Trayback - **NOTE: 2 Shocks per Rear Axle**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM326M2	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Big Bore	0-50mm	Hydraulic Truck Shock Absorber	RT1027M1Y	2

### F250

2003 on

Leaf Spring Front / Leaf Spring Rear

Ute / Trayback - **NOTE: 4 Shocks per Rear Axle**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM326M2	2
Nitro Max	50-100mm	45mm Bore Nitrogen Gas Technology	NM997M4	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM503M2	4
Big Bore	50-100mm	Hydraulic Truck Shock Absorber	RT1027M1Y	4





# FORD

## MAVERICK

### Y60 - SWB Wagon

03/1988 on

Coil Spring Front / Coil Spring Rear

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2
COIL SPRINGS				
Linear Rate	40mm	0 - 35kg	RC-0406	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability

Panhard Rod			KPR004	1
-------------	--	--	--------	---

Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

Polyurethane	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
--------------	------	---	----------	---

#### STEERING DAMPER

Big Bore	03/1988 to 08/1989	35mm Gas Cell Technology	SS232	1
Big Bore	09/1989 on	35mm Gas Cell Technology	SS177	1

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-0506	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability

Panhard Rod			KPR005	1
-------------	--	--	--------	---



# FORD

## MAVERICK

### Y60 - LWB Wagon

03/1988 on

Coil Spring Front / Coil Spring Rear

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2

#### COIL SPRINGS

Linear Rate	40mm	3.0L Engine / 0 - 35kg	RC-0406	1 PAIR
Linear Rate	40mm	4.2L Engine / 0 - 35kg	RC-0407	1 PAIR
Linear Rate	40mm	4.2L Engine / 40 - 80kg	RC-0409	1 PAIR
Linear Rate	40mm	4.2L Engine / 80 - 150kg	RC-2009	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability

Panhard Rod			KPR004	1
-------------	--	--	--------	---

Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised suspensions

Polyurethane	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
--------------	------	---	----------	---

#### STEERING DAMPER

Big Bore	03/1988 to 08/1989	35mm Gas Cell Technology	SS232	1
Big Bore	09/1989 on	35mm Gas Cell Technology	SS177	1

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2

#### COIL SPRINGS

Linear Rate	40mm	0 - 150kg	RC-0509	1 PAIR
Linear Rate	40mm	150 - 300kg	RC-0510	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability

Panhard Rod			KPR005	1
-------------	--	--	--------	---



# FORD

## MAVERICK

### Y60 - Ute & Cab Chassis

1988 on

Leaf Spring Front / Leaf Spring Rear

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6007Y	2
-------	--------	--------------------------------	--------	---

#### LEAF SPRINGS

Constant Load	50mm	0 - 100kg	RL879	2
---------------	------	-----------	-------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins.  
NOTE: For components breakdown refer rear section

BSK1016 1

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6008Y	2
-------	--------	--------------------------------	--------	---

#### LEAF SPRINGS

Constant Load	50mm	0 - 400kg (Driver Side)	RL880DS	1
Constant Load	50mm	0 - 400kg (Near Side)	RL880NS	1

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins.  
NOTE: For components breakdown refer rear section.

BSK1017 1





# FORD

## RANGER / RAIDER

### RANGER UTE / RAIDER WAGON

1987 - 11/2006

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab / Wagon

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897M2BY	2
-------	--------	--------------------------------	-----------	---

#### TORSION BARS

Rate Increased		(Length - 926mm)	TB1546	1 PAIR
----------------	--	------------------	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
-------	--------	--------------------------------	----------	---

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
-----------	------	-----------------------------------	---------	---

#### LEAF SPRINGS

Medium Load	40mm	0 - 200kg	RL892	2
-------------	------	-----------	-------	---

Constant Load	40mm	200 - 400kg	RL893	2
---------------	------	-------------	-------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1015	1
---	--	--	---------	---

## RANGER / RAIDER

### PJ, PK

2007 on

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6011M1BY	2
-------	--------	--------------------------------	-----------	---

#### TORSION BARS

Rate Increased		Duratorq Engine Diesel (Length - 1025 x 27mm)	TB1551	1 PAIR
----------------	--	---	--------	--------

Rate Increased		2.5L WLT Engine Petrol (Length - 926 x 27mm)	TB1546	1 PAIR
----------------	--	--	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
-------	--------	--------------------------------	----------	---

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
-----------	------	-----------------------------------	---------	---

#### LEAF SPRINGS

Medium Load	40mm	0 - 200kg	RL894	2
-------------	------	-----------	-------	---

Constant Load	40mm	200 - 400kg	RL895	2
---------------	------	-------------	-------	---

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1018	1
---	--	--	---------	---



# FORD

## RANGER

### PX I & II

2011 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-50mm	Nitrogen Gas Charged - Does not come with top fitting kit	G6898	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM898	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR898S	2

#### REPLACEMENT FITTING KIT

Top fitting kit for struts	Contains bushes, washers and nut	PDCK898	2
----------------------------	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC957	2
----------------------------------	--------	---

#### UPPER CONTROL ARMS

For Increasing Caster	RCA351	1 PAIR
-----------------------	--------	--------

#### FRONT DIFF RELOCATION KIT

Reduce angle at the constant velocity joints on your front drive axles.	M1106	1 PAIR
---	-------	--------

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2298	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2463	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 50kg	RC-2300	1 PAIR
Variable Rate	40mm	50 - 80kg	RC-2410	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2418	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6898-2298	2
Nitro+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	G6898-2463	2
Nitro+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	G6898-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM898-2298	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	NM898-2463	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	NM898-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Variable Rate)	NM898-2300	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Variable Rate)	NM898-2410	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	NM898-2418	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR898S-2298	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	PR898S-2463	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	PR898S-2464	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Variable Rate)	PR898S-2300	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Variable Rate)	PR898S-2410	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	PR898S-2418	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1061S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR899S	2

#### LEAF SPRINGS

Comfort Load	40mm	0 - 100kg (Single stage spring only)	RL902	2
Medium Load	40mm	0 - 200kg	RL903	2
Constant Load	40mm	350kg	RL904	2
HD Constant Load	40mm	550kg plus	RL905	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye	RGP169	2
-----------------------	--------	---

**BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.**

Mounting kit for leaf springs RL902, RL903, RL904	BSK1005	1
Mounting kit for leaf springs RL905	BSK1036	1



# FORD

## RANGER / RAIDER

### PX I & II - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2011 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				

Predator+Coil+Top HAT	75mm		XPR1061S-3006	2
-----------------------	------	--	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

UPPER CONTROL ARMS				
For Increasing Caster			RCA351	1 PAIR
FRONT DIFF RELOCATION KIT				

Reduce angle at the constant velocity joints on your front drive axles.			M1106	1 PAIR
---	--	--	-------	--------

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1055S	2
----------	------	---	---------	---

LEAF SPRINGS				
Comfort Spring	60-65mm	0-0kg	RL902	2
Constant Load	75mm	100kg	RL903	2
Constant Load	75mm	200kg	RL904	2

GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2

BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1005	1

# FORD

## RANGER - EXCLUDING RAPTOR

### PX III

06/2018 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### Struts

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1110	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1110S	2

#### STRUT TOP HAT

For replacement and pre-assembly			SAC960	2
----------------------------------	--	--	--------	---

#### UPPER CONTROL ARMS

For Increasing Caster			RCA351	1 PAIR
-----------------------	--	--	--------	--------

#### FRONT DIFF RELOCATION KIT

Reduce angle at the constant velocity joints on your front drive axles.			M1106	1 PAIR
---	--	--	-------	--------

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2490	1 PAIR
Linear Rate	40mm	50 - 120kg	RC-2513	1 PAIR

#### SWAY BAR LINK - HIGHLY RECOMMENDED

Adjustable sway bar link			RSBL230A-12	2
--------------------------	--	--	-------------	---

#### PRE-ASSEMBLED STRUTS

NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM1110-2490	2
NitroMax+Coil+Top HAT	40mm	50 - 120kg (Linear Rate)	NM1110-2513	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR1110S-2490	2
Predator+Coil+Top HAT	40mm	50 - 120kg (Linear Rate)	PR1110S-2513	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1081S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR899S	2
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6899	2

#### LEAF SPRINGS

Comfort Load	40mm	0 - 100kg (Single stage spring only)	RL902	2
Medium Load	40mm	0 - 200kg	RL903	2
Constant Load	40mm	200 - 350kg	RL904	2
HD Constant Load	40mm		RL905	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.

Mounting kit for leaf springs RL902, RL903, RL904			BSK1005	1
---	--	--	---------	---

Mounting kit for leaf springs RL905			BSK1036	1
-------------------------------------	--	--	---------	---



# FORD

## RANGER / RAIDER

### PX III - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2011 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	75mm		XPR1081S-3006	2
-----------------------	------	--	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### UPPER CONTROL ARMS

For Increasing Caster			RCA351	1 PAIR
-----------------------	--	--	--------	--------

#### FRONT DIFF RELOCATION KIT

Reduce angle at the constant velocity joints on your front drive axles.			M1106	1 PAIR
---	--	--	-------	--------

#### ADJUSTABLE SWAY BAR LINKS

Prevents sway bar interference			RSBL230A-12	2
--------------------------------	--	--	-------------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1055S	2
----------	------	---	---------	---

#### LEAF SPRINGS

Comfort Spring	60-65mm	0-0kg	RL902	2
Constant Load	75mm	100kg	RL903	2
Constant Load	75mm	200kg	RL904	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1005	1
---	--	--	---------	---



# FORD

## RANGER - RAPTOR MODELS - COIL SPRING UPGRADE ONLY

### PX III RAPTOR

06/2018 on

Coil Spring Front / Coil Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2510	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2511	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	40mm	0 - 100kg	RC-2516	1 PAIR
Linear Rate	40mm	100 - 300kg	RC-2517	1 PAIR
Linear Rate	40mm	300 - 500kg	RC-2518	1 PAIR





# FORD

## RANGER

### PY T6.2 NEXT GEN 4 CYL - EXCLUDING RAPTOR

06/2022 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS - Adjustable Ride Height				
Nitro	0-50mm	Nitro Gas Charged	G61408	2
AR45 Nitro Max	40 - 75mm	45mm Bore Nitrogen Gas Technology	NM1408	2
STRUT TOP HAT & BUMPSTOP				
For replacement and pre-assembly			SAC1508	2
UPPER CONTROL ARMS				
For Increasing Caster		Suitable for Alloy Steering Knuckle	RCA449	1 PAIR
For Increasing Caster		Suitable for Steel Steering Knuckle	RCA450	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2561	1 PAIR
Linear Rate	40mm	50 - 120kg	RC-2562	1 PAIR
SWAY BAR LINK - HIGHLY RECOMMENDED				
Adjustable sway bar link			RSBL260A-14	2
PREASSEMBLED STRUTS				
Nitro + Coil + Top HAT	0-50mm	0 - 50kg (Linear Rate)	G61408-2561	2
Nitro + Coil + Top HAT	0-50mm	50 - 120kg (Linear Rate)	G61408-2562	2
Nitro Max + Coil + Top HAT	40 - 75mm	0 - 50kg (Linear Rate)	NM1408-2561	2
Nitro Max + Coil + Top HAT	40 - 75mm	50 - 120kg (Linear Rate)	NM1408-2562	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitro Gas Charged	G6006M2Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1409	2
LEAF SPRINGS				
Comfort Load	40mm	0 - 150kg	RL1410	2
Medium Load	40mm	150 - 300kg	RL1411	2
Constant Load	40mm	300 - 500kg	RL1412	2
BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.				
Mounting kit for leaf springs			BSK1039	1



# FORD

## RANGER

### PY T6.2 NEXT GEN 6 CYL - EXCLUDING RAPTOR

06/2022 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS - Adjustable Ride Height

Nitro	0-50mm	Nitro Gas Charged	G61408	2
AR45 Nitro Max	40 - 75mm	45mm Bore Nitrogen Gas Technology	NM1408	2

#### STRUT TOP HAT & BUMPSTOP

For replacement and pre-assembly			SAC1508	2
----------------------------------	--	--	---------	---

#### UPPER CONTROL ARMS - V6 DIESEL

For Increasing Caster		Suitable for Alloy Steering Knuckle	RCA449	1 PAIR
For Increasing Caster		Suitable for Steel Steering Knuckle	RCA450	1 PAIR

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2562	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2564	1 PAIR
Linear Rate	40mm	100-150kg	RC-2566	1 PAIR

#### SWAY BAR LINK - HIGHLY RECOMMENDED

Adjustable sway bar link			RSBL260A-14	2
--------------------------	--	--	-------------	---

#### PREASSEMBLED STRUTS

Nitro + Coil + Top HAT	0-50mm	0 - 50kg (Linear Rate)	G61408-2562	2
Nitro + Coil + Top HAT	0-50mm	50 - 100kg (Linear Rate)	G61408-2564	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	0 - 50kg (Linear Rate)	NM1408-2562	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	50 - 100kg (Linear Rate)	NM1408-2564	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	100 - 150kg (Linear Rate)	NM1408-2566	2

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	50mm	35mm Bore Nitro Gas Charged	G6006M2Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1409	2

#### DRIVELINE KIT - **HIGHLY RECOMMENDED**

Centre Bearing Alignment Kit - <b>MUST BE USED ON V6 MODELS</b>			M1400K	1
--	--	--	--------	---

#### LEAF SPRINGS

Comfort Load	40mm	0 - 150kg	RL1410	2
Medium Load	40mm	150 - 300kg	RL1411	2
Constant Load	40mm	300 - 500kg	RL1412	2

BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.

Mounting kit for leaf springs			BSK1039	1
-------------------------------	--	--	---------	---



# FORD

## RANGER RAPTOR ONLY - COIL SPRINGS UPGRADE ONLY

### PY T6.2 NEXT GEN

06/2022 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2568	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	25mm	0 - 50kg	RC-2561	1 PAIR
Linear Rate	25mm	50 - 150kg	RC-2516	1 PAIR

# FOTON

## FOTON

### TUNLAND

2012 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab - ENGINE: All Variants

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### NITRO & PREDATOR STRUTS

Nitro	0-50mm	Nitrogen Gas Charged	G6324	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR324S	2

#### REPLACEMENT FITTING KIT

Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
----------------------------	--	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly			SAC956	2
----------------------------------	--	--	--------	---

#### COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS

Linear Rate	40mm	0 - 50kg	RC-1695	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2289	1 PAIR
Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR

#### NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
-----------	------	-----------------------------------	-------	---

#### STRUT TOP HAT

For replacement and pre-assembly			SAC956	2
----------------------------------	--	--	--------	---

#### COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS

Linear Rate	40mm	0 - 50kg	RC-2463	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 80kg	RC-2300	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2410	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg	G6324-1695	2
Nitro+Coil+Top HAT	40mm	50 - 80kg	G6324-2289	2
Nitro+Coil+Top HAT	40mm	80 - 100kg	G6324-1696	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM324-2463	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	NM324-2298	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	NM324-2464	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR324S-1695	2
Predator+Coil+Top HAT	40mm	50 - 80kg	PR324S-2289	2
Predator+Coil+Top HAT	40mm	80 - 100kg	PR324S-1696	2

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR327S	2

#### LEAF SPRINGS

Medium Load	45mm	0 - 200kg	RL877	2
Constant Load	45mm	200 - 400kg	RL878	2
HD Constant Load	40mm	400kg plus	RL969	2

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1001	1
---	--	--	---------	---



# GREAT WALL

## GREAT WALL

### V200, V240

2010 on

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
TORSION BARS				
Rate Increased		(Length - 1144mm)	TB1550	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL886	2
Constant Load	40mm	200 - 300kg	RL887	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1004	1

### X240

2005 on

Torsion Bar Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-30mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
TORSION BARS				
Rate Increased		(Length - 1144mm)	TB1550	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-30mm	35mm Bore Nitrogen Gas Charged	G6756M2Y	2
COIL SPRINGS				
Linear Rate	30mm	0 - 250kg	RC-0505	1 PAIR



# HOLDEN

## COLORADO

### RC

07/2008 on

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
TORSION BARS				
Rate Increased		(Length - 1144mm)	TB1550	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL886	2
Constant Load	40mm	200 - 300kg	RL887	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1004	1





# HOLDEN

## COLORADO

### RG I

2011 - 03/2013

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2

#### REPLACEMENT FITTING KIT

Top fitting kit for struts	Contains bushes, washers and nut	PDCK324	2
----------------------------	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC1501	2
----------------------------------	---------	---

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2321	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2322	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2321	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-2322	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2321	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-2322	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1078S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M2	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2

#### LEAF SPRINGS

Medium Load	40mm	0 - 250kg	RL788	2
Constant Load	40mm	250 - 400kg	RL789	2
Constant Load	40mm	400 - 600kg	RL979	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye	RGP169	2
-----------------------	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.	BSK1006	1
---	---------	---



# HOLDEN

## COLORADO

### RG I - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2011 - 03/2013

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1078S-3006	2

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### UPPER CONTROL ARMS

For Increasing Caster			RCA406	1 PAIR
-----------------------	--	--	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2

#### LEAF SPRINGS

Constant Load	50mm	100kg	RL789	2
---------------	------	-------	-------	---

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1006	1
---	--	--	---------	---



# HOLDEN

## COLORADO

### RG II

04/2013 - 06/2016

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA406	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2321	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-2322	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2321	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-2322	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M2	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2
LEAF SPRINGS				
Medium Load	40mm	0 - 250kg	RL788	2
Constant Load	40mm	250 - 400kg	RL789	2
Constant Load	40mm	400 - 600kg	RL979	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1006	1



# HOLDEN

## COLORADO

### RG II - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

04/2013 - 06/2016

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA406	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2
LEAF SPRINGS				
Constant Load	50mm	100kg	RL789	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1006	1



# HOLDEN

## COLORADO

### RG III

07/2016 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA406	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2321	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2322	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2321	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-2322	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2321	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-2322	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M2	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2
LEAF SPRINGS				
Medium Load	40mm	0 - 250kg	RL788	2
Constant Load	40mm	250 - 400kg	RL789	2
Constant Load	40mm	400 - 600kg	RL979	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes M798 hand brake cable extension kit.			BSK1033	1
NOTE: For components breakdown refer rear section				



# HOLDEN

## COLORADO

### RG III - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

07/2016 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1078S-3006	2

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### UPPER CONTROL ARMS

For Increasing Caster			RCA406	1 PAIR
-----------------------	--	--	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2

#### LEAF SPRINGS

Constant Load	50mm	100kg	RL789	2
---------------	------	-------	-------	---

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1033	1
---	--	--	---------	---





# HOLDEN

## COLORADO 7 Trailblazer

### RG

2012 on

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2321	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2322	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2321	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-2322	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2321	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-2322	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100 (Linear Rate)	XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1410	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR303S	2
COIL SPRINGS				
Linear Rate	40mm	0 - 100kg	RC-2323	1 PAIR
Linear Rate	40mm	100 - 300kg	RC-2445	1 PAIR



# HOLDEN

## FRONTERA

### MB

1995 - 02/1999

Torsion Bar Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6029Y	2

### MX

02/1999 on

Torsion Bar Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6019M4Y	2



# HOLDEN

## JACKAROO

UBS13, 16, 52

11/1981 - 10/1988

Torsion Bar Front / Leaf Spring Rear

LWB Wagon

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
-------	--------	--------------------------------	---------	---

#### TORSION BARS

Rate Increased		(Length - 926mm)	TB1546	1 PAIR
----------------	--	------------------	--------	--------

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
-------	--------	--------------------------------	--------	---

#### LEAF SPRINGS

Medium Load	40mm	0 - 150kg	RL885	2
-------------	------	-----------	-------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1019	1
---	--	--	---------	---



# HOLDEN

## JACKAROO

UBS16, 17, 52, 55

1988 on

Torsion Bar Front / Leaf Spring Rear

LWB Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009M1Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 150kg	RL885	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1020	1

UBS25, 26, 69, 73

05/1992 on

Torsion Bar Front / Coil Spring Rear

SWB & LWB Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6029Y	2
COIL PRINGS				
Linear Rate	40mm	0 - 150kg (1992-2000)	RC-0997	1 PAIR



# HOLDEN

## RODEO

KB4, KBD4, TF

01/1981 - 07/1988

IFS Front / Leaf Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

## TFS, R7, R9

08/1988 - 03/2003

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Rate Increased		(Length - 1000mm)	TB1547	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL885	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1020	1



# HOLDEN

## RODEO

### RA

03/2003 on

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
-------	--------	--------------------------------	---------	---

#### TORSION BARS

Rate Increased		(Length - 1144mm)	TB1550	1 PAIR
----------------	--	-------------------	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
-------	--------	--------------------------------	--------	---

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM626	2
-----------	------	-----------------------------------	-------	---

#### LEAF SPRINGS

Medium Load	40mm	0 - 200kg	RL886	2
-------------	------	-----------	-------	---

Constant Load	40mm	200 - 300kg	RL887	2
---------------	------	-------------	-------	---

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1004	1
---	--	--	---------	---



# HYUNDAI

## TERRACAN

### TERRACAN

2001 on

Torsion Bar Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6009Y	2





# ISUZU

## BIG HORN / TROOPER

UB13, 15, 52

11/1981 - 1988

Torsion Bar Front / Leaf Spring Rear

LWB Wagon **NOTE: Up to Chassis No. 4524288**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Rate Increased		(Length - 926mm)	TB1546	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 150kg	RL885	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1019	1

UBS16, 17, 52, 55

1988 - 03/1992

Torsion Bar Front / Leaf Spring Rear

LWB Wagon - **NOTE: From Chassis No. 4524289**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009M1Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 150kg	RL885	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1020	1



# ISUZU

## BIG HORN / TROOPER

UBS25, 26, 69, 73

05/1992 on

Torsion Bar Front / Coil Spring Rear

SWB & LWB Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6029Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg (1992-2000)	RC-0997	1 PAIR

## D-MAX / INVADER

KB4, KBD4, TF

01/1981 - 07/1988

IFS Front / Leaf Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

# ISUZU

## D-MAX / INVADER

TFS, R7, R9

08/1988 - 03/2003

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Rate Increased		(Length - 1000mm)	TB1547	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL885	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1020	1

## RA

03/2003 on

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
TORSION BARS				
Torsion bars		Rate Increased (Length - 1144mm)	TB1550	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM626	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL886	2
Constant Load	40mm	200 - 300kg	RL887	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1004	1



# ISUZU

## D-MAX

### D-MAX

2012 - 2020

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA406	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2322	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1695	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2322	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-1695	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2322	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-1695	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA406	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M2	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2
LEAF SPRINGS				
Medium Load	40mm	0 - 250kg	RL788	2
Constant Load	40mm	250 - 400kg	RL789	2
Constant Load	40mm	400 - 600kg	RL979	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1006	1



# ISUZU

## D-MAX

### D-MAX - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2012 - 2020

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2
LEAF SPRINGS				
Constant Load	50mm	100kg	RL789	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1006	1



# ISUZU

## D-MAX

### D-MAX

08/2020 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### NITRO & PREDATOR STRUTS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G61406	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1406S	2

#### REPLACEMENT FITTING KIT

Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
----------------------------	--	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly			SAC1501	2
----------------------------------	--	--	---------	---

#### UPPER CONTROL ARMS

For Increasing Caster			RCA407	1 PAIR
-----------------------	--	--	--------	--------

#### COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS

Linear Rate	40mm	0 - 50kg (Linear Rate)	RC-2289	1 PAIR
Linear Rate	40mm	50 - 100kg (Linear Rate)	RC-1696	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G61406-2289	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G61406-1696	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR1406S-2289	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR1406S-1696	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1406S-3006	2
-----------------------	--------	-------------------------	---------------	---

ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.

#### NITRO MAX STRUTS

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1406	2
-----------	------	-----------------------------------	--------	---

#### REPLACEMENT FITTING KIT

Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
----------------------------	--	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly			SAC1501	2
----------------------------------	--	--	---------	---

#### UPPER CONTROL ARMS

For Increasing Caster			RCA407	1 PAIR
-----------------------	--	--	--------	--------

#### COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX

Linear Rate	40mm	0 - 50kg	RC-2419	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2420	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro Max+Coil+Top HAT	40mm	0 - 50kg	NM1406-2419	2
Nitro Max+Coil+Top HAT	40mm	50 - 100kg	NM1406-2420	2

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G61407	2
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1407	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1407S	2

#### LEAF SPRINGS

Comfort Load	40mm	0 - 150kg	RL977	2
Medium Load	40mm	150 - 300kg	RL978	2
Constant Load	40mm	300 - 500kg	RL979	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1038	1
---	--	--	---------	---



# ISUZU

## D-MAX

### D-MAX - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

08/2020 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1406S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA407	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1407S	2
LEAF SPRINGS				
Constant Load	50mm	No Accessories	RL978	2
Constant Load	50mm	150kg	RL979	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1038	1



# ISUZU

## MU-X

### RF

11/2013 - 06/2021

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2322	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1695	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2322	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G6302-1695	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2322	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR302S-1695	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1078S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1410	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR303S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-2443	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2444	1 PAIR





# ISUZU

## MU-X

### RJ

06/2021-

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
NITRO STRUTS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G61406	2
REPLACEMENT FITTING KIT		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg (Linear Rate)	RC-2322	1 PAIR
Linear Rate	40mm	50 - 100kg (Linear Rate)	RC-1695	1 PAIR
PREASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G61406-2322	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G61406-2289	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA407	1 PAIR
PREDATOR STRUTS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1406S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS IN RED ONLY TO BE USED WITH PREDATOR STRUTS				
Linear Rate	40mm	0 - 50kg	RC-2322	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1695	1 PAIR
PREASSEMBLED STRUTS				
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR1406S-2322	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR1406S-2289	2
PREASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1406S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
NITRO MAX STRUTS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1406	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX				
Linear Rate	40mm	0 - 80kg	RC-2174	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2419	1 PAIR
PREASSEMBLED STRUTS				
Nitro Max+Coil+Top HAT	40mm	0 - 80kg	NM1406-2174	2
Nitro Max+Coil+Top HAT	40mm	80 - 120kg	NM1406-2419	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1410	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR303S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-2443	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2444	1 PAIR



# JEEP

## CJ SERIES

### CJ5

1972 - 1983

Leaf Spring Front / Leaf Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro 1972 - 1981	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
Nitro 1982 - 1983	STD	35mm Bore Nitrogen Gas Charged	G6026M1Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2

### CJ6

1972 - 1975

Leaf Spring Front / Leaf Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2

### CJ7

1976 - 1986

Leaf Spring Front / Leaf Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro 1976 - 1981	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
Nitro 1982 - 1986	STD	35mm Bore Nitrogen Gas Charged	G6026M1Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2



# JEEP

## CJ SERIES

### CJ8

1982 - 1986

Leaf Spring Front / Leaf Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026M1Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2

## DJ SERIES

### DJ5, DJ6

1972 - 1975

Leaf Spring Front / Leaf Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2



# JEEP

## CHEROKEE

### WAGONEER / GRAND WAGONEER

1976 - 1991

Leaf Spring Front / Leaf Spring Rear

Wagon

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026M1Y	2
-------	-----	--------------------------------	----------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026M1Y	2
-------	-----	--------------------------------	----------	---

### XJ (FJB, FJC)

1994 - 2001

Coil Spring Front / Leaf Spring Rear

Wagon

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6776Y	2
-------	--------	--------------------------------	--------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6777Y	2
-------	--------	--------------------------------	--------	---



# JEEP

## GLADIATOR - Excluding RUBICON Models

JT

01/2020 on

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	75mm	45mm Bore Nitrogen Gas Technology	NM965M1	2
COIL SPRINGS				
Linear Rate	70mm	0-50kg	RC-2539	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	75mm	45mm Bore Nitrogen Gas Technology	NM997M3	2
COIL SPRINGS				
Linear Rate	70mm	0-300kg	RC-2540	1 PAIR
Linear Rate	70mm	300 - 500kg Constant Load	RC-2541	1 PAIR

## GLADIATOR - RUBICON Models only

JT

01/2020 on

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM965M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-2539	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997M3	2
COIL SPRINGS				
Linear Rate	50mm	0-300kg	RC-2540	1 PAIR
Linear Rate	50mm	300 - 500kg Constant Load	RC-2541	1 PAIR



# JEEP

## GRAND CHEROKEE

### ZG, ZJ

03/1996 - 05/1999

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6776Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6777M2Y	2

### WG, WJ

1999 - 2004

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6776Y	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR954S	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6777M3Y	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR955S	2



# JEEP

## WRANGLER

### TJ - Soft Top / Hard Top

10/1996 on

Coil Spring Front / Coil Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6776Y	2
COIL SPRINGS				
Linear Rate	35mm	0 - 50kg	RC-1070	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6777M1Y	2
COIL SPRINGS				
Linear Rate	35mm	0 - 150kg	RC-1082	1 PAIR



# JEEP

## WRANGLER

### JK

2007 on

Coil Spring Front / Coil Spring Rear

SWB 2 Door

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1027	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR853S	2
COIL SPRINGS				
Linear Rate	50mm	V6 Petrol / 0 - 50kg	RC-2181	1 PAIR
Linear Rate	50mm	2.8 Ltr Diesel / 0 - 50kg	RC-2183	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1028	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR854S	2
COIL SPRINGS				
Linear Rate	50mm	2 Door SWB / 0 - 100kg	RC-2262	1 PAIR

### JK

2007 on

Coil Spring Front / Coil Spring Rear

LWB 4 Door

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1027	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR853S	2
COIL SPRINGS				
Linear Rate	50mm	V6 Petrol / 0 - 50kg	RC-2183	1 PAIR
Linear Rate	50mm	2.8 Ltr Diesel / 0 - 50kg	RC-2261	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1028	2
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR854S	2
COIL SPRINGS				
Linear Rate	50mm	4 Door LWB / 0 - 100kg	RC-2263	1 PAIR





# JEEP

## WRANGLER - Excluding RUBICON Models

### JL

06/2018 on

Coil Spring Front / Coil Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	75mm	45mm Bore Nitrogen Gas Technology	NM965M1	2
COIL SPRINGS				
Linear Rate	70mm	0 - 50kg	RC-2506	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	75mm	45mm Bore Nitrogen Gas Technology	NM997M5	2
COIL SPRINGS				
Linear Rate	70mm	0 - 300kg	RC-2507	1 PAIR

## WRANGLER - RUBICON Models only

### JL

06/2018 on

Coil Spring Front / Coil Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM965M1	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-2506	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997M5	2
COIL SPRINGS				
Linear Rate	50mm	0 - 300kg	RC-2507	1 PAIR



# LAND ROVER

## SERIES I

### 80", 88" & 109" WB

1953 - 1983

Leaf Spring Front / Leaf Spring Rear - All Models

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Gas Charged	STD	35mm Bore Nitrogen Gas Charged	G56112**	2
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS522	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6027Y	2

## SERIES II, IIA & III

### 80" & 88" WB

1953 - 1983

Leaf Spring Front / Leaf Spring Rear - All Models

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Gas Charged	STD	35mm Bore Nitrogen Gas Charged	G56112**	2
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS522	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6027Y	2

### 109" LWB

1953 - 1984

Leaf Spring Front / Leaf Spring Rear - All Models

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Gas Charged	STD	35mm Bore Nitrogen Gas Charged	G56112**	2
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS522	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

N/A



# LAND ROVER

## COUNTY

### 110 SERIES

1984 on

Coil Spring Front / Coil Spring Rear

Wagon - **NOTE: Models without Self Levelling Valve Only** - ENGINE: V8 Petrol & 2.5L Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Linear Rate	30mm	0 - 40kg	RC-1257	1 PAIR
Linear Rate	40mm	40 - 80kg	RC-1258	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004M1Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 200kg	RC-1102	1 PAIR
Linear Rate	40mm	200 - 300kg	RC-1103	1 PAIR

## DEFENDER

### 90 SERIES & 110 SERIES

1984 on

Coil Spring Front / Coil Spring Rear

Wagon & Cab Chassis - **NOTE: Models without Self Levelling Valve Only** - ENGINE: V8 Petrol & 2.5L Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-1257	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1258	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004M1Y	2
COIL SPRINGS				
Progressive Rate	40mm	90 SERIES / 0 - 100kg	RC-1267	1 PAIR
Linear Rate	40mm	110 SERIES / 0 - 200kg	RC-1102	1 PAIR
Linear Rate	40mm	110 SERIES / 200 - 300kg	RC-1103	1 PAIR



# LAND ROVER

## DEFENDER

### 110 SERIES & 130 SERIES

1992 on

Coil Spring Front / Coil Spring Rear

Wagon & Cab Chassis - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-1257	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1258	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004M1Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 200	RC-1102	1 PAIR
Linear Rate	40mm	200 - 300kg	RC-1103	1 PAIR

## DISCOVERY

### SERIES I

1991 - 02/1999

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 50kg	RC-1255	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1257	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS173	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004M1Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-1267	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-1268	1 PAIR



# LAND ROVER

## PERENTIE (Isuzu Engine)

### 110 SERIES

1988 on

Coil Spring Front / Coil Spring Rear (4x4 only)

Wagon & Cab Chassis - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 80kg	RC-1267	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004M1Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 200	RC-1102	1 PAIR
Linear Rate	40mm	200 - 300kg	RC-1103	1 PAIR



# LDV

## LDV

### T60

2017 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-40mm	Nitrogen Gas Charged	G6302	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR302S	2

#### REPLACEMENT FITTING KIT

Top fitting kit for struts	Contains bushes, washers and nut	PDCK324	2
----------------------------	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC1501	2
----------------------------------	---------	---

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2322	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1695	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6302-2322	2
Nitro+Coil+Top HAT	40mm	50 - 100 (Linear Rate)	G6302-1695	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR302S-2322	2
Predator+Coil+Top HAT	40mm	50 - 100 (Linear Rate)	PR302S-1695	2

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M2	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR304S	2

#### LEAF SPRINGS

Medium Load	40mm	0 - 250kg	RL788	2
Constant Load	40mm	250 - 400kg	RL789	2

#### BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section

Mounting kit for leaf springs. Includes headlight sensor link extension kit & handbrake mounting cable bracket kit	BSK1035	1
--	---------	---



# MAZDA

## B2600 / BRAVO 4x4 / PROCEED

### B2600

1987 - 2007

Torsion Bar Front / Leaf Spring Rear - Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897M2BY	2
TORSION BARS				
Rate Increased		(Length - 926mm)	TB1546	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL892	2
Constant Load	40mm	200 - 400kg	RL893	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1015	1

# MAZDA

## BT50

### BT50

2007 on

Torsion Bar Front / Leaf Spring Rear - Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6011M1BY	2
TORSION BARS				
Rate Increased		Duratorq Engine Diesel (Length - 1025 x 27mm)	TB1551	1 PAIR
Rate Increased		2.5L WLT Engine Petrol (Length - 926 x 26mm)	TB1546	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL894	2
Constant Load	40mm	200 - 400kg	RL895	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1018	1



# MAZDA

## BT50

### BT50

2011 - 07/2020

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-50mm	Nitrogen Gas Charged - Does not come with top fitting kit	G6898	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM898	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR898S	2

#### UPPER CONTROL ARMS

For Increasing Caster			RCA351	1 PAIR
-----------------------	--	--	--------	--------

#### REPLACEMENT FITTING KIT

Top fitting kit for struts		Contains bushes, washers and nut	PDCK898	2
----------------------------	--	----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly			SAC957	2
----------------------------------	--	--	--------	---

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2298	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2463	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 50kg	RC-2300	1 PAIR
Variable Rate	40mm	50 - 80kg	RC-2410	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2418	1 PAIR

#### UPPER CONTROL ARMS

For Increasing Caster			RCA351	1 PAIR
-----------------------	--	--	--------	--------

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G6898-2298	2
Nitro+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	G6898-2463	2
Nitro+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	G6898-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM898-2298	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	NM898-2463	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	NM898-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Variable Rate)	NM898-2300	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Variable Rate)	NM898-2410	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	NM898-2418	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR898S-2298	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	PR898S-2463	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	PR898S-2464	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Variable Rate)	PR898S-2300	2
Predator+Coil+Top HAT	40mm	50 - 80kg (Variable Rate)	PR898S-2410	2
Predator+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	PR898S-2418	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1061S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014M4Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326M4	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR899S	2

#### LEAF SPRINGS

Comfort Load	40mm	0 - 100kg (Single stage spring only)	RL902	2
Medium Load	40mm	0 - 200kg	RL903	2
Constant Load	40mm	350kg	RL904	2
HD Constant Load	40mm	550kg plus	RL905	2

BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section

Mounting kit for leaf springs RL902, RL903, RL904			BSK1005	1
---	--	--	---------	---

Mounting kit for leaf springs RL905			BSK1036	1
-------------------------------------	--	--	---------	---





# MAZDA

## BT50

### BT50 - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2011 - 07/2020

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1061S-3006	2

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### UPPER CONTROL ARMS

For Increasing Caster			RCA351	1 PAIR
-----------------------	--	--	--------	--------

#### FRONT DIFF RELOCATION KIT

Reduce angle at the constant velocity joints on your front drive axles.			M1106	1 PAIR
---	--	--	-------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1055S	2

#### LEAF SPRINGS

Comfort Spring	60-65mm	0-0kg	RL902	2
Constant Load	75mm	100kg	RL903	2
Constant Load	75mm	200kg	RL904	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1005	1
---	--	--	---------	---

# MAZDA

## BT50

### BT50

08/2020 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>NITRO &amp; PREDATOR STRUTS</b>				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G61406	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1406S	2
<b>REPLACEMENT FITTING KIT</b>				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
<b>STRUT TOP HAT</b>				
For replacement and pre-assembly			SAC1501	2
<b>UPPER CONTROL ARMS</b>				
For Increasing Caster			RCA407	1 PAIR
<b>COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO &amp; PREDATOR STRUTS</b>				
Linear Rate	40mm	0 - 50kg (Linear Rate)	RC-2289	1 PAIR
Linear Rate	40mm	50 - 100kg (Linear Rate)	RC-1696	1 PAIR
<b>UPPER CONTROL ARMS</b>				
For Increasing Caster			RCA351	1 PAIR
<b>PRE-ASSEMBLED STRUTS</b>				
Nitro+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	G61406-2289	2
Nitro+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	G61406-1696	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	PR1406S-2289	2
Predator+Coil+Top HAT	40mm	50 - 100kg (Linear Rate)	PR1406S-1696	2
<b>PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS</b>				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1406S-3006	2
<b>ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.</b>				
<b>NITRO MAX STRUTS</b>				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1406	2
<b>REPLACEMENT FITTING KIT</b>				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
<b>STRUT TOP HAT</b>				
For replacement and pre-assembly			SAC1501	2
<b>UPPER CONTROL ARMS</b>				
For Increasing Caster			RCA407	1 PAIR
<b>COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX</b>				
Linear Rate	40mm	0 - 50kg	RC-2419	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2420	1 PAIR
<b>PRE-ASSEMBLED STRUTS</b>				
Nitro Max+Coil+Top HAT	40mm	0 - 50kg	NM1406-2419	2
Nitro Max+Coil+Top HAT	40mm	50 - 100kg	NM1406-2420	2
<b>REAR SUSPENSION</b>				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>SHOCK ABSORBERS</b>				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G61407	2
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1407	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1407S	2
<b>LEAF SPRINGS</b>				
Comfort Load	40mm	0 - 150kg	RL977	2
Medium Load	40mm	150 - 300kg	RL978	2
Constant Load	40mm	300 - 500kg	RL979	2
<b>BUSH SHACKLE U-BOLT KIT</b>				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1038	1



# MAZDA

## BT50

### BT50 - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

08/2020 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1406S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA407	1 PAIR
FRONT DIFF RELOCATION KIT				
Reduce angle at the constant velocity joints on your front drive axles.			M1106	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1407S	2
LEAF SPRINGS				
Constant Load	50mm	No Accessories	RL978	2
Constant Load	50mm	150kg	RL979	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1038	1



# MERCEDES-BENZ

## X-Class

### 4CYL MODELS

2018 on

Coil Spring Front / Coil Spring Rear

Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6300	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM300	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR300S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC958	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA412	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2419	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2420	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6300-2419	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6300-2420	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM300-2419	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM300-2420	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR300S-2419	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR300S-2420	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1079S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6301	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM301	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR301S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-2422	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2423	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-2448	1 PAIR
REAR SWAY BAR LINK				
	0-75mm	ADJUSTABLE from 230-280mm	RSBL230A-12	2

# MERCEDES-BENZ

## X-Class

### 6CYL MODELS

2018 on

Coil Spring Front / Coil Spring Rear

Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6300	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM300	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR300S	2

#### STRUT TOP HAT

For replacement and pre-assembly			SAC958	2
----------------------------------	--	--	--------	---

#### UPPER CONTROL ARMS

For Increasing Caster			RCA412	1 PAIR
-----------------------	--	--	--------	--------

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2420	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2523	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg	G6300-2420	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6300-2523	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM300-2420	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM300-2523	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR300S-2420	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR300S-2523	2

#### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1079S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6301	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM301	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR301S	2

#### COIL SPRINGS

Progressive Rate	40mm	0 - 100kg	RC-2422	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2423	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-2448	1 PAIR

#### REAR SWAY BAR LINK

	0-75mm	ADJUSTABLE from 230-280mm	RSBL230A-12	2
--	--------	---------------------------	-------------	---



# MERCEDES-BENZ

## X-Class

### 4 & 6CYL MODELS - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2018 on

Coil Spring Front / Coil Spring Rear

Ute / Dual Cab - ENGINE: All Variants

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1079S-3006	2

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### UPPER CONTROL ARMS

For Increasing Caster			RCA412	1 PAIR
-----------------------	--	--	--------	--------

#### FRONT DIFF RELOCATION KIT

			M1105	1 PAIR
--	--	--	-------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR301S	2

#### COIL SPRINGS

Progressive Rate	75mm	Comfort Spring	RC-2423	1 PAIR
Progressive Rate	75mm	Constant Load 100 - 250kg	RC-2448	1 PAIR

#### REAR SWAY BAR LINK

Adjustable	0-75mm	ADJUSTABLE from 230-280mm	RSBL230A-12	1 PAIR
------------	--------	---------------------------	-------------	--------

#### HEADLIGHT ADJUSTER BRACKET

			M1104	1
--	--	--	-------	---



# MITSUBISHI

## CHALLENGER

### PA

03/1999 - 07/2000

Torsion Bar Front / Leaf Spring Rear

4 Door Wagon

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
-------	--------	--------------------------------	---------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
-------	--------	--------------------------------	--------	---

### PA II

08/2000 - 2006

Torsion Bar Front / Coil Spring Rear

4 Door Wagon

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
-------	--------	--------------------------------	---------	---

#### TORSION BARS

Rate Increased		(Length - 1307mm)	TB0203	1 PAIR
----------------	--	-------------------	--------	--------

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6016Y	2
-------	--------	--------------------------------	--------	---

#### COIL SPRINGS

Progressive Rate	30mm	0 - 150kg	RC-0344	1 PAIR
------------------	------	-----------	---------	--------

# **MITSUBISHI**

## **CHALLENGER**

### **PB**

2009 - 2015

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6346	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR346S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK346	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1500	2
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-2027	1 PAIR
Linear Rate	30mm	50 - 100kg	RC-2028	1 PAIR
BUMP STOP KIT				
Shortened upper bump stop for improved articulation			M999	1
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6346-2027	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6346-2028	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR346S-2027	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR346S-2028	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6016Y	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR628S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 150kg	RC-0341	1 PAIR





# MITSUBISHI

## L200

MA, MB, MC, MD

1981 - 1987

Torsion Bar Front / Leaf Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6897M1BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

## L300

SA, SB, SC, SD, SE, SF, SG, SH

1981 - 1987

Torsion Bar Front / Leaf Spring Rear

Van

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6897M1BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
Gas Charged	0-35mm	35mm Bore Nitrogen Gas Charged Model: SF, SG, SH YEAR: 1983-10/1986	G56157	2



# MITSUBISHI

## PAJERO / SHOGUN / MONTERO

NA, NB, NC, ND, NE, NF, NG

1983 - 06/1991

Torsion Bar Front / Leaf Spring Rear

Van - **NOTE: Models with Rear Leaf Springs Only**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6897M1BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

NA, NB, NC, ND, NE, NF, NG

1983 - 06/1991

Torsion Bar Front / Coil Spring Rear

Wagon - **NOTE: Models with Rear Coil Springs Only**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6897M1BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6016Y	2

# MITSUBISHI

## PAJERO / SHOGUN / MONTERO

NH, NJ, NK, NL

05/1991 - 2000

Torsion Bar Front / Coil Spring Rear

SWB 2 Door Wagon - ENGINE: V6 Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Rate Increased		(Length - 1278mm)	TB0013	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6669Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 200kg	RC-0327	1 PAIR

NH, NJ, NK

05/1991 - 1996

Torsion Bar Front / Coil Spring Rear

LWB 4 Door Wagon - ENGINE: V6 Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Rate Increased		(Length - 1278mm)	TB0013	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6669Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 150kg	RC-0324	1 PAIR
Progressive Rate	40mm	150 - 200kg	RC-0325	1 PAIR



# **MITSUBISHI**

## **PAJERO / SHOGUN / MONTERO**

### **NH, NJ**

07/1991 on

Torsion Bar Front / Leaf Spring Rear

LWB Wagon - ENGINE: 4 Cylinder

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM626	2

### **NF, NH, NJ, NK, NL**

1995 - 05/2000

Torsion Bar Front / Coil Spring Rear

LWB 4 Door Wagon - ENGINE: V6 Petrol & Turbo Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Torsion bars		Rate Increased (Length - 1307mm)	TB0203	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6669Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 150kg	RC-0324	1 PAIR
Progressive Rate	40mm	150 - 200kg	RC-0325	1 PAIR



# MITSUBISHI

## PAJERO / SHOGUN / MONTERO

NM, NP, NS, NT, NW, NX

2000 on

Coil Spring Front / Coil Spring Rear

SWB & LWB Wagon - ENGINE: V6 Petrol & Turbo Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-50mm	Nitrogen Gas Charged	G6350	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR352S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1502	2
COIL SPRINGS				
Linear Rate	40mm	V6 Petrol / 0 - 30kg	RC-0267	1 PAIR
Linear Rate	40mm	V6 Petrol / 30 - 75kg	RC-0268	1 PAIR
Linear Rate	40mm	Turbo Diesel / 0 - 75kg	RC-0268	1 PAIR
Linear Rate	40mm	Turbo Diesel / 75 - 100kg	RC-2026	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	V6 Petrol / 0 - 30kg	G6350-0267	2
Nitro+Coil+Top HAT	40mm	V6 Petrol / 30 - 75kg	G6350-0268	2
Nitro+Coil+Top HAT	40mm	Turbo Diesel / 0 - 75kg	G6350-0268	2
Nitro+Coil+Top HAT	40mm	Turbo Diesel / 75 - 100kg	G6350-2026	2
Predator+Coil+Top HAT	40mm	V6 Petrol / 0 - 30kg	PR352S-0267	2
Predator+Coil+Top HAT	40mm	V6 Petrol / 30 - 75kg	PR352S-0268	2
Predator+Coil+Top HAT	40mm	Turbo Diesel / 0 - 75kg	PR352S-0268	2
Predator+Coil+Top HAT	40mm	Turbo Diesel / 75 - 100kg	PR352S-2026	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009M3Y	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR353S	2
COIL SPRINGS				
Progressive Rate	40mm	SWB / 0 - 150kg	RC-0346	1 PAIR
Linear Rate	40mm	LWB / 0 - 150kg	RC-0328	1 PAIR
Linear Rate	40mm	LWB / 150 - 250kg	RC-0329	1 PAIR
Progressive Rate	40mm	LWB / 300 - 500kg	RC-2442	1 PAIR



# 

## 

### 

1998 on

Coil Spring Front / Coil Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR970S	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR971S	2

# 

## 

### 

2009 - 2015

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6346	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR346S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK346	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1500	2
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-2027	1 PAIR
Linear Rate	30mm	50 - 100kg	RC-2028	1 PAIR
BUMP STOP KIT				
Shortened upper bump stop for improved articulation			M999	1
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6346-2027	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6346-2028	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR346S-2027	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR346S-2028	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6016Y	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR628S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 150kg	RC-0341	1 PAIR

# **MITSUBISHI**

## **PAJERO SPORT**

### **QE / QF**

2015 on

Coil Spring Front / Coil Spring Rear - Wagon

#### **FRONT SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>STRUTS</b>				
Nitro	0-40mm	Nitrogen Gas Charged	G6346	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR346S	2

#### **REPLACEMENT FITTING KIT**

Top fitting kit for struts	Contains bushes, washers and nut	PDCK346	2
----------------------------	----------------------------------	---------	---

#### **COIL SPRINGS**

Linear Rate	30mm	0 - 50kg	RC-2027	1 PAIR
Linear Rate	30mm	50 - 100kg	RC-2028	1 PAIR

#### **STRUT TOP HAT**

For replacement and pre-assembly	SAC1500	2
----------------------------------	---------	---

#### **BUMP STOP KIT - HIGHLY RECOMMENDED**

Shortened upper bump stop for improved articulation	M999	1
---	------	---

#### **PRE-ASSEMBLED STRUTS**

Nitro+Coil+Top HAT	40mm	0 - 50kg	G6346-2027MQ	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6346-2028MQ	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR346S-2027MQ	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR346S-2028MQ	2

#### **REAR SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### **SHOCK ABSORBERS**

Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6016Y	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR628S	2

#### **COIL SPRINGS**

Progressive Rate	40mm	0 - 100kg	RC-0324	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-0325	1 PAIR



# 

## 

ME, MF, MG, MH, MJ

1987 - 11/1996

Torsion Bar Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: Petrol & Diesel

### 

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### 

Nitro	0-40mm	35mm Bore Nitrogen Gas Charged <b>NOTE: With Bar Pin Lower Fitting</b>	G6897M1BY	2
-------	--------	---	-----------	---

#### 

Rate Increased	(Length - 1278mm)	<b>1987 - 1992</b>	TB0013	1 PAIR
Rate Increased	(Length - 1367mm)	<b>1992 - 2000 &amp; 1991 on V6</b>	TB0204	1 PAIR

### 

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### 

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6010Y	2
Nitro	40mm	35mm Bore Nitrogen Gas Charged	G6014M1Y	2
Nitro Max	STD	45mm Bore Nitrogen Gas Technology	NM626	2
Nitro Max	40mm	45mm Bore Nitrogen Gas Technology	NM326M1	2

#### 

Medium Load	40mm	0 - 200kg	RL888	2
Constant Load	40mm	200 - 300kg	RL889	2

#### 

Mounting kit for leaf springs. <b>NOTE: For components breakdown refer rear section.</b>	BSK1021	1
--	---------	---

## 

11/1996 on

Torsion Bar Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: V6 Petrol & Turbo Diesel

### 

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### 

Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
-------	--------	--------------------------------	---------	---

#### 

Rate Increased	(Length - 1367mm)		TB0204	1 PAIR
----------------	-------------------	--	--------	--------

### 

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### 

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6010Y	2
Nitro	40mm	35mm Bore Nitrogen Gas Charged	G6014M1Y	2
Nitro Max	STD	45mm Bore Nitrogen Gas Technology	NM626	2
Nitro Max	40mm	45mm Bore Nitrogen Gas Technology	NM326M1	2

#### 

Medium Load	40mm	0 - 200kg	RL888	2
Constant Load	40mm	200 - 300kg	RL889	2

#### 

Mounting kit for leaf springs. <b>NOTE: For components breakdown refer rear section.</b>	BSK1021	1
--	---------	---





# **MITSUBISHI**

## **TRITON**

### **ML, MN**

2006 on

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6346	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR346S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK346	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1500	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA365	1 PAIR
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-2027	1 PAIR
Linear Rate	30mm	50 - 100kg	RC-2028	1 PAIR
BUMP STOP KIT				
Shortened upper bump stop for improved articulation			M999	1
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6346-2027	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6346-2028	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR346S-2027	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR346S-2028	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1083S-3010	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6027M2Y	2
Nitro Max	40mm	45mm Bore Nitrogen Gas Technology	NM654	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR348S	2
LEAF SPRINGS				
Medium Load	35mm	0 - 250kg	RL890	2
Constant Load	35mm	250 - 350kg	RL891	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section				
ML 2006 on & MN up to 2012. Mounting kit for leaf springs RL890, RL891			BSK1008	1
MN 2012 on. Mounting kit for leaf springs RL890, RL891			BSK1009	1



# MITSUBISHI

## TRITON

### ML, MN - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2006 -2012

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1083S-3010	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA365	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR348S	2
LEAF SPRINGS				
Medium Load	50mm	0 - 100kg	RL890	2
Constant Load	50mm	100-200kg	RL891	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1008	1



# MITSUBISHI

## TRITON

### MN - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2012 -2015

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1083S-3010	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA365	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR348S	2
LEAF SPRINGS				
Constant Load	50mm	0 - 100kg	RL890	2
Constant Load	50mm	100-200kg	RL891	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1009	1



# MITSUBISHI

## TRITON

### MQ, MR

2015 on

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-40mm	Nitrogen Gas Charged	G6346	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR346S	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK346	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1500	2
COIL SPRINGS				
Linear Rate	30mm	0 - 50kg	RC-2027	1 PAIR
Linear Rate	30mm	50 - 100kg	RC-2028	1 PAIR
BUMP STOP KIT - HIGHLY RECOMMENDED				
Shortened upper bump stop for improved articulation			M999	1
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6346-2027MQ	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6346-2028MQ	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR346S-2027MQ	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR346S-2028MQ	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1083S-3010	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6348	2
Predator	40mm	46mm Bore Monotube Nitrogen Gas Charged	PR348S	2
LEAF SPRINGS				
Medium Load	40mm	0 - 200kg	RL919	2
Constant Load	40mm	200 - 300kg	RL920	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1022	1
EXTENSION KITS				
Brake Hose Extension Kit		<b>MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS</b>	M1097K	1



# **MITSUBISHI**

## **TRITON**

### **MQ, MR - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY**

2015 -

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

#### **FRONT SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1083S-3010	2

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

#### **UPPER CONTROL ARMS**

For Increasing Caster			RCA365	1 PAIR
-----------------------	--	--	--------	--------

#### **REAR SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR348S	2
LEAF SPRINGS				
Constant Load	50mm	0 - 250kg	RL919	2
Constant Load	50mm	250-350kg	RL920	2

#### **BRAKE LINE KIT**

Brake Hose Extension Kit **MUST BE USED**

**WITH THE FITMENT OF RAW SHOCK**

**ABSORBERS**

#### **GREASABLE SHACKLE PIN**

Rear Spring Front Eye			RGP169	2
-----------------------	--	--	--------	---

#### **BUSH SHACKLE U-BOLT KIT**

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1022	1
---	--	--	---------	---

## **TRITON**

### **MV**

2024 on

Coil Spring Front / Leaf Spring

Rear

Ute / Dual Cab

#### **FRONT SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1414S	2
Front Coil				
	0-50mm	0-50kg (Linear rate)	RC-2027	1 Pair
	0-50mm	50-100kg (Linear rate)	RC-2028	1 Pair

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

**Pre-assembled not yet available and the OE Top HAT will need to be used to assemble**

XPR	0-75mm	46mm Bore Monotube Nitrogen Gas Charged	XPR1414S	2
-----	--------	---	----------	---

#### **Front Coil**

	0-75mm	0 - 100kg (Linear Rate)	RC-3010	1 Pair
--	--------	-------------------------	---------	--------

#### **FRONT SWAY BAR**

RSB24TR26	1
-----------	---

#### **REAR SUSPENSION**

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR1415S	2
LEAF SPRINGS				
Comfort Load	40mm	0-150kg	RL903M1	2
Medium Load	40mm	150-300kg	RL904M1	2
Constant Load	40mm	300-550kg	RL905M1	2

#### **EXTENSION KITS**

Brake Hose Extension Kit **MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS**

			M1097K	1
--	--	--	--------	---

#### **BUSH SHACKLE U-BOLT KIT**

Mounting kit for leaf springs <b>NOTE: For components breakdown refer front section</b>			BSK1042M2	1
---	--	--	-----------	---



# NISSAN

## 720 SERIES

### 720

01/1982 - 1985

Torsion Bar Front / Leaf Spring Rear

Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6010Y	2

## FRONTIER

### SINGLE CAB

1998 - 2001

Torsion Bar Front / Leaf Spring Rear

Single Cab Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2



# NISSAN

## NAVARA

### D21, D22

1986 - 1999

Torsion Bar Front / Leaf Spring Rear

Ute/Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
TORSION BARS				
Torsion bars - <b>D21</b>		Rate Increased (Length - 1203mm)	TB1456	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro - <b>D21</b>	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
Nitro - <b>D21</b>	50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
Nitro - <b>D22</b>	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Constant Load	40mm	0 - 300kg	RL882	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1002	1

### D22 / FRONTIER

1999 on

Torsion Bar Front / Leaf Spring Rear

Ute/Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6023BY	2
TORSION BARS				
Torsion bars		Rate Increased (Length - 892mm)	TB1446HD	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
LEAF SPRINGS				
Constant Load	40mm	0 - 300kg	RL882	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1002	1



# NISSAN

## NAVARA

### D40 - ALL EXCLUDING STX550

11/2005 on

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: All Variants

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-50mm	Nitrogen Gas Charged	G6397	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM397	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR397S	2

#### STRUT TOP HAT

For replacement and pre-assembly			SAC958	2
----------------------------------	--	--	--------	---

#### UPPER CONTROL ARMS

For Increasing Caster			RCA412	1 PAIR
-----------------------	--	--	--------	--------

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2042	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2174	1 PAIR

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg	G6397-2042	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6397-2174	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM397-2042	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM397-2174	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR397S-2042	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR397S-2174	2

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M1Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology NOTE: STX Model with ABS	NM654M1	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR398S	2

#### LEAF SPRINGS

Medium Load	40mm	0 - 150kg	RL883	2
Constant Load	40mm	150 - 250kg	RL884	2

#### GREASABLE SHACKLE PIN

Rear Spring Front Eye			RGF169	2
-----------------------	--	--	--------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1003	1
---	--	--	---------	---



# NISSAN

## NAVARA

### D40 - STX550

2010 on

Coil Spring Front / Leaf Spring Rear

Ute/Dual Cab - ENGINE: 3.0Lt V6 Turbo Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-50mm	Nitrogen Gas Charged	G6397	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM397	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR397S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC958	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA412	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2286	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2311	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6397-2286	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6397-2311	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM397-2286	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM397-2311	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR397S-2286	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR397S-2311	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6027M1Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM654M1	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR398S	2
LEAF SPRINGS				
Medium Load	40mm	0 - 150kg	RL883	2
Constant Load	40mm	150 - 250kg	RL884	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1003	1



# NISSAN

## NAVARA

### NP300 / D23 Series 1-4

2015 on

Coil Spring Front / Coil Spring Rear

Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	0-50mm	Nitrogen Gas Charged	G6300	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM300	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR300S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC958	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA412	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2419	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2420	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6300-2419	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6300-2420	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM300-2419	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM300-2420	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR300S-2419	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR300S-2420	2
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1079S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6301	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM301	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR301S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-2422	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2423	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-2448	1 PAIR
REAR SWAY BAR LINK- HIGHLY RECOMMENDED				
Adjustable sway bar link		ADJUSTABLE from 230-280mm	RSBL230A-12	2
HEADLIGHT ADJUSTER BRACKET				
			M1104	1



# NISSAN

## NAVARA

NP300 / D23 Series 1-4 **LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY**

2015 on

Coil Spring Front / Coil Spring Rear

Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1079S-3006	2
<b>ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.</b>				
UPPER CONTROL ARMS				
For Increasing Caster			RCA412	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR301S	2
COIL SPRINGS				
Progressive Rate	75mm	Comfort Spring	RC-2423	1 PAIR
Progressive Rate	75mm	Condstant Load 100 - 250kg	RC-2448	1 PAIR
REAR SWAY BAR LINK				
Adjustable	0-75mm	ADJUSTABLE from 230-280mm	RSBL230A-12	1 PAIR
HEADLIGHT ADJUSTER BRACKET				
			M1104	1

# NISSAN

## PATHFINDER

WD21

12/1986 - 1995

Torsion Bar Front / Coil Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-0505	1 PAIR



# NISSAN

## PATROL

### G60

1961 - 1979

Leaf Spring Front / Leaf Spring Rear

All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6005Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6005Y	2

# NISSAN

## PATROL

### GQ (Y60)

08/1987 on

Coil Spring Front / Coil Spring Rear

LWB Wagon - ENGINE: 3.0L, 4.2L Petrol / 2.8L & 4.2L TD - **For 100mm (4") lift refer over page**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2
COIL SPRINGS				
Linear Rate	40mm	3.0L Petrol / 0 - 35kg	RC-0406	1 PAIR
Linear Rate	40mm	4.2L Petrol, 2.8L & 4.2L TD / 0 - 35kg	RC-0407	1 PAIR
Linear Rate	40mm	4.2L Petrol, 2.8L & 4.2L TD / 35 - 80kg	RC-0409	1 PAIR
Linear Rate	40mm	4.2L Petrol & 4.2L TD / 80 - 150kg	RC-2009	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.</b>				
Right Hand Drive			KPR004	1
Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised suspensions				
	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore	1987-08/1989	35mm Gas Cell Technology	SS232	1
Big Bore	09/1989 on	35mm Gas Cell Technology	SS177	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-0509	1 PAIR
Linear Rate	40mm	150 - 300kg	RC-0510	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.</b>				
Panhard Rods			KPR005	1



# NISSAN

## PATROL

### GQ (Y60)

02/1988 on

Coil Spring Front / Coil Spring Rear

SWB Wagon - ENGINE: All Variants - **NOTE: For 100mm (4") lift refer next page**

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2
COIL SPRINGS				
Linear Rate	40mm	0 - 35kg	RC-0406	1 PAIR

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.**

Right Hand Drive			KPR004	1
------------------	--	--	--------	---

Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
--	------	---	----------	---

#### STEERING DAMPER

Big Bore	03/1988-08/1989	35mm Gas Cell Technology	SS232	1
Big Bore	09/1989 on	35mm Gas Cell Technology	SS177	1

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-0506	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.</b>				
Panhard Rods			KPR005	1



# NISSAN

## PATROL

### GQ (Y60) 100mm (4") Lift

08/1987 on

Coil Spring Front / Coil Spring Rear

LWB Wagon - ENGINE: 3.0L, 4.2L Petrol / 2.8L & 4.2L TD

SWB & LWB Wagon - **NOTE: Suspension Components listed on this page are for Off-Road use only** - ENGINE: All Variants

**DISCLAIMER:** Raw 4x4 will not accept any responsibility for personal injury or property breakage resulting from the fitment of any products listed on this page. **WARRANTY:** Engineers certificate required for warranty validation.

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	100mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
-------	-------	--------------------------------	--------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 100kg	RC-0410	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.**

Right Hand Drive			KPR004	1
------------------	--	--	--------	---

Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

	50mm	Offset centre hole to increase Caster Setting	PDB1721XK	1
--	------	---	-----------	---

#### STEERING DAMPER

Big Bore	1987-08/1989	35mm Gas Cell Technology	SS232	1
----------	--------------	--------------------------	-------	---

Big Bore	09/1989 on	35mm Gas Cell Technology	SS177	1
----------	------------	--------------------------	-------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	100mm	45mm Bore Nitrogen Gas Technology	NM503	2
-----------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 300kg	RC-0511	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.**

Panhard Rods			KPR005	1
--------------	--	--	--------	---



# NISSAN

## PATROL

### GQ (Y60)

02/1988 - 1999

Leaf Spring Front / Leaf Spring Rear

Ute & Cab Chassis

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6007Y	2
-------	--------	--------------------------------	--------	---

#### LEAF SPRINGS

Constant Load	45mm	0 - 100kg	RL879	2
---------------	------	-----------	-------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1016	1
---	--	--	---------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6008Y	2
-------	--------	--------------------------------	--------	---

#### LEAF SPRINGS

Constant Load	50mm	0 - 400kg (Driver Side)	RL880DS	1
---------------	------	-------------------------	---------	---

Constant Load	50mm	0 - 400kg (Near Side)	RL880NS	1
---------------	------	-----------------------	---------	---

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1017	1
---	--	--	---------	---



# NISSAN

## PATROL

### GQ (Y60)

1992 - 05/1999

Coil Spring Front / Coil Spring Rear

Ute & Cab Chassis

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2

#### COIL SPRINGS

Linear Rate	40mm	0 - 35kg	RC-0407	1 PAIR
Linear Rate	40mm	35 - 80kg	RC-0409	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.

Right Hand Drive	KPR004	1
------------------	--------	---

Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
------	---	----------	---

#### STEERING DAMPER

Big Bore	35mm Gas Cell Technology	SS177	1
----------	--------------------------	-------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2

#### COIL SPRINGS

Progressive Rate	40mm	0 - 300kg	RC-0460	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-1735	1 PAIR

ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.

Panhard Rods	KPR005	1
--------------	--------	---



# NISSAN

## PATROL

### GU (Y61) Series I, II & III

12/1997 on

Coil Spring Front / Coil Spring Rear

LWB Wagon - **NOTE: For 100mm (4") lift refer next page**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 35kg	RC-0453	1 PAIR
Linear Rate	40mm	35 - 50kg	RC-0407	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-0409	1 PAIR
Linear Rate	40mm	80 - 150kg	RC-2009	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.				
Right Hand Drive	12/1997 - 08/2001 (Series I & II)		KPR004	1
Right Hand Drive	09/2001 on (Series III)		KPR028	1
Caster BUSH KITS NOTE: It is recommended tHAT the following Caster Bush Kits be fitted to raised Suspensions				
	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore	12/1997-04/2000	35mm Gas Cell Technology - Pin/Pin type	SS173	1
Big Bore	04/2000 on	35mm Gas Cell Technology - Eye/Eye type	SS195	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-0456	1 PAIR
Linear Rate	40mm	100 - 200kg	RC-2048	1 PAIR
Progressive Rate	40mm	200 - 300kg	RC-0458	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-1735	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.				
Right Hand Drive	12/1997 - 08/2001 (Series I & II)		KPR005	1
Right Hand Drive	09/2001 on (Series III)		KPR029	1



# NISSAN

## PATROL

### GU (Y61) 100mm (4") Lift

12/1997 on

Coil Spring Front / Coil Spring Rear

SWB & LWB Wagon - **NOTE: Suspension Components listed on this page are for Off-Road use only**

ENGINE: All Variants

**DISCLAIMER:** Raw 4x4 will not accept any responsibility for personal injury or property breakage resulting from the fitment of any products listed on this page. **WARRANTY:** Engineers certificate required for warranty validation.

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	100mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
-------	-------	--------------------------------	--------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 100kg	RC-0410	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.**

Right Hand Drive	12/1997 - 08/2001 (Series I & II)		KPR004	1
------------------	-----------------------------------	--	--------	---

Right Hand Drive	09/2001 on (Series III)		KPR028	1
------------------	-------------------------	--	--------	---

Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

	70-100mm	Offset centre hole to increase Caster Setting	PDB1721XK	1
--	----------	---	-----------	---

#### STEERING DAMPER

Big Bore	12/1997-04/2000	35mm Gas Cell Technology - Pin/Pin type	SS173	1
----------	-----------------	---	-------	---

Big Bore	04/2000 on	35mm Gas Cell Technology - Eye/Eye type	SS195	1
----------	------------	---	-------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	100mm	45mm Bore Nitrogen Gas Technology	NM503	2
-----------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 300kg	RC-0511	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.**

Right Hand Drive	12/1997 - 08/2001 (Series I & II)		KPR005	1
------------------	-----------------------------------	--	--------	---

Right Hand Drive	09/2001 on (Series III)		KPR029	1
------------------	-------------------------	--	--------	---



# NISSAN

## PATROL

### GU (Y61) - UTE / CAB CHASSIS

1997 on

Coil Spring Front / Leaf Spring Rear

Ute/Cab Chassis

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 35kg	RC-0407	1 PAIR
Linear Rate	40mm	35 - 80kg	RC-0409	1 PAIR
Linear Rate	40mm	80 - 150kg	RC-2009	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.				
Right Hand Drive			KPR004	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS173	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6008Y	2
LEAF SPRINGS				
Constant Load	50mm	0 - 400kg (Driver Side)	RL880DS	1
Constant Load	50mm	0 - 400kg (Near Side)	RL880NS	1
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1023	1



# NISSAN

## PATROL

### GU (Y61)

1999 on

Coil Spring Front / Coil Spring Rear

Ute/Cab Chassis

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM294	2
COIL SPRINGS				
Linear Rate	40mm	0 - 35kg	RC-0407	1 PAIR
Linear Rate	40mm	35 - 80kg	RC-0409	1 PAIR
Linear Rate	40mm	80 - 150kg	RC-2009	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.				
Right Hand Drive			KPR004	1
Caster BUSH KITS NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions				
	50mm	Offset centre hole to increase Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS173	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM295	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 300kg	RC-0460	1 PAIR
Progressive Rate	40mm	300 - 500kg	RC-1735	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability.				
Panhard Rods			KPR005	1



# NISSAN

## PATROL

### Y62 Series 3 with Hydraulic Body Motion Control - Coil Springs only

2012 on

Coil Spring Front / Coil Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	40mm	0 - 60kg	RC-2294	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
COIL SPRINGS				
Linear Rate	20mm	Towing Upgrade Spring	RC-2315	1 PAIR
Linear Rate	40mm	0 - 200kg	RC-2295	1 PAIR

# NISSAN

## TERRANO I

### WD21

10/1987

Torsion Bar Front / Coil Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6897BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
COIL SPRINGS				
Linear Rate	40-50mm	0 - 150kg	RC-0505	1 PAIR

## TERRANO II

### R20

03/1997 on

Torsion Bar Front / Coil Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6010Y	2
COIL SPRINGS				
Linear Rate	0-40mm	0 - 150kg	RC-0505	1 PAIR



# RANGE ROVER

## SERIES I

3.5L, 3.9L V8

1972 - 08/1994

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
COIL SPRINGS				
Progressive Rate	30mm	0 - 30kg	RC-1255	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS173	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6004Y	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-1267	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-1268	1 PAIR

## SERIES II

### SERIES II

05/1995 - 2000

Coil Spring Front / Coil Spring Rear

Wagon - **NOTE: Excluding HSE 4.6L V8** - ENGINE: 4.0L V8

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6003Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6004Y	2



# RANGE ROVER

## ML3, ML7

### ML3, ML7

05/1995 - 2000

Coil Spring Front / Coil Spring Rear

Wagon - **NOTE: Excluding HSE 4.6L V8** - ENGINE: 4.0L V8

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6001Y	2
-------	-----	--------------------------------	--------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6004Y	2
-------	-----	--------------------------------	--------	---



# SSANGYONG

## SSANGYONG

### MUSSO / KORANDO

07/1996 - 2002

Torsion Bar Front / Coil Spring Rear - Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6897BY	2
Nitro	40mm	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	40mm	35mm Bore Nitrogen Gas Charged	G6009M1Y	2

### MUSSO SPORTS UTE

2004 on

Torsion Bar Front / Coil Spring Rear - Ute

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6833BY	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6009M1Y	2



# SUZUKI

## JIMNY

### ALL VARIANTS

1998 - 2018

Coil Spring Front / Coil Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6766	2
COIL SPRINGS				
Linear Rate	40mm	0kg - No Accessories	RC-1301	1 PAIR
Linear Rate	40mm	40 - 60kg	RC-2449	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6767	2
COIL SPRINGS				
Linear Rate	40mm	0kg - No Accessories	RC-1339	1 PAIR

### JB74

2018 on

Coil Spring Front / Coil Spring Rear

All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6766	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2449	1 PAIR
FRONT CROSS MEMBER				
		MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS	M1601	1
FRONT Caster CORRECTION BUSHES				
	+ 2.5 degree	MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS	PDB5237K	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6767	2
COIL SPRINGS				
Linear Rate	40mm	0 - 100kg	RC-1339	1 PAIR
EXTENSION KITS				
EBD Adjustment Arm Extension Kit		MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS	M1154K	1
Brake Hose Extension Kit		MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS	M1595K	1



# TOYOTA

## BUNDERA

LJ70, LJ73 / RJ70, RJ73

11/1984 - 12/1989

Coil Spring Front / Coil Spring Rear

Soft Top / Hard Top

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6005Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 80kg	RC-1403	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS176	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro (Driver Side)	0-50mm	35mm Bore Nitrogen Gas Charged	G6010M1Y	1
Nitro (Near Side)	0-50mm	35mm Bore Nitrogen Gas Charged	G6019M5Y	1
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-1504	1 PAIR

## LANDCRUISER II

RJ77 / KZJ78 / LJ78, LJ79

1987 - 1996

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: 2.4L Petrol & 2.4L T/D

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	40-60mm	35mm Bore Nitrogen Gas Charged	G6004M2Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2292	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	40mm	35mm Bore Nitrogen Gas Charged	G6640Y	2
Nitro	60mm	35mm Bore Nitrogen Gas Charged	G6004Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-2293	1 PAIR



# TOYOTA

## 4 RUNNER / SURF

### LN60 / YN60

03/1984 - 08/1985

Leaf Spring Front / Leaf Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6019Y	2
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS174	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6012Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6014Y	2

### LN61 / YN63

08/1985 - 1989

Torsion Bar Front / Leaf Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6011BY	2
TORSION BARS				
Torsion bars		Rate Increased (Length - 1064mm)	TB1646	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS231	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-35mm	35mm Bore Nitrogen Gas Charged	G6012Y	2
LEAF SPRINGS				
Medium Load	50mm	0 - 200kg	RL873	2
Constant Load	50mm	200 - 300kg	RL874	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1025	1



# TOYOTA

## 4 RUNNER / SURF

LN130, RN130, YN130, VZN130 - Wagon

1989 - 07/1996

Torsion Bar Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-40mm	35mm Bore Nitrogen Gas Charged	G6011BY	2
TORSION BARS				
Torsion bars		Rate Increased (Length - 1064mm)	TB1646	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS231	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009Y	2
COIL SPRINGS				
Progressive Rate	50mm	0 - 150kg	RC-1458	1 PAIR
Linear Rate	50mm	150 - 250kg	RC-1510	1 PAIR

## KZN185, RZN185 - Wagon

1996 - 2003

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	50mm	Silver 46mm Bore Monotube Nitrogen Gas Charged	PR723S	2
Predator	50mm	White 46mm Bore Monotube Nitrogen Gas Charged	PR723	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-1405	1 PAIR
Linear Rate	40mm	50 - 75kg	RC-1789	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro#	0-50mm	35mm Bore Nitrogen Gas Charged	G6756Y	2
Predator#	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR724S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-1507	1 PAIR
Progressive Rate	40mm	100 - 250kg	RC-1508	1 PAIR

# TOYOTA

## FJ CRUISER

GSJ15, GSJ15R

2006 on

Coil Spring Front / Coil Spring Rear

Wagon 4.0L V6

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
UPPER CONTROL ARMS				
For Increasing Caster			RCA360	1 PAIR
NITRO & PREDATOR STRUTS				
Nitro	0-50mm	Nitrogen Gas Charged	G6539	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR539S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
STRUT TOP PIN FITTING KIT				
For replacement and pre-assembly			PDCK324	2
COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS				
Linear Rate	40mm	0 - 30kg	RC-1695	1 PAIR
Linear Rate	40mm	30 - 80kg	RC-2289	1 PAIR
Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR
NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS - For all models EXCLUDING those with KDSS				
Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 30kg	G6539-1695	2
Nitro+Coil+Top HAT	40mm	30 - 80kg	G6539-2289	2
Nitro+Coil+Top HAT	40mm	80 - 100kg	G6539-1696	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM324-2290	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM324-2298	2
Predator+Coil+Top HAT	40mm	0 - 30kg	PR539S-1695	2
Predator+Coil+Top HAT	40mm	30 - 80kg	PR539S-2289	2
Predator+Coil+Top HAT	40mm	80 - 100kg	PR539S-1696	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro#	0-50mm	35mm Bore Nitrogen Gas Charged	G6424Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM540	2
Predator#	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR977S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 50kg / Comfort	RC-2428	1 PAIR
Linear Rate	40mm	0 - 150kg	RC-1698	1 PAIR
Linear Rate	40mm	150 - 250kg	RC-1699	1 PAIR

LEGEND: OEM ORIGINAL EQUIPMENT  
MANUFACTURE

STD STANDARD  
S SILVER BODY

B FITTED WITH DUST BOOT  
Y FITTED WITH POLY BUSHES

\* IN DEVELOPMENT  
\*\* GENERIC PRODUCT

# SHOCK ARMOR  
AVAILABLE



# TOYOTA

## FORTUNER

KUN51, TGN51

2005 - 2015

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS				
Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
PREDATOR STRUTS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR324S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN RED ONLY TO BE USED WITH PREDATOR STRUTS				
Linear Rate	40mm	0 - 50kg	RC-1695	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2289	1 PAIR
PRE-ASSEMBLED STRUTS				
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM324-2290	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM324-2298	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR324S-1695	2
Predator+Coil+Top HAT	40mm	50 - 80kg	PR324S-2289	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM330	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR330S	2
COIL SPRINGS				
Progressive Rate	50mm	0 - 200kg	RC-2440	1 PAIR
Progressive Rate	50mm	200 - 400kg Constant Load	RC-2450	1 PAIR
Progressive Rate	50mm	400 - 600kg Constant Load	RC-2451	1 PAIR



# TOYOTA

## FORTUNER

GUN156R

08/2015 on

Coil Spring Front / Coil Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM964	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS				
Linear Rate	40mm	0 - 80kg	RC-2463	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
PREDATOR STRUTS				
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR964S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN RED ONLY TO BE USED WITH PREDATOR STRUTS				
Linear Rate	40mm	0 - 50kg	RC-1695	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2289	1 PAIR
UPPER CONTROL ARMS				
For Increasing Caster			RCA350	1 PAIR
PRE-ASSEMBLED STRUTS				
NitroMax+Coil+Top HAT	40mm	0 - 80kg	NM964-2463	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg	NM964-2464	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR964S-1695	2
Predator+Coil+Top HAT	40mm	50 - 80kg	PR964S-2289	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM330	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR330S	2
COIL SPRINGS				
Progressive Rate	40mm	0kg - No Accessories	RC-2440	1 PAIR
Progressive Rate	40mm	100 - 300kg	RC-2450	1 PAIR
Progressive Rate	40mm	300 - 600kg	RC-2451	1 PAIR



# TOYOTA

## HILUX

LN65, YN65 / LN67, YN67, LN105, RN105 / LN106, RN106

08/1983 - 11/1997

Leaf Spring Front / Leaf Spring Rear

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6019Y	2
LEAF SPRINGS				
Constant Load	50mm	Petrol / 0 - 50kg (Driver Side)	RL871DS	1
Constant Load	50mm	Petrol / 0 - 50kg (Near Side)	RL871NS	1
Constant Load	50mm	Diesel / 0 - 100kg (Driver Side)	RL872DS	1
Constant Load	50mm	Diesel / 0 - 100kg (Near Side)	RL872NS	1
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section			BSK1024	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS174	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6012Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
LEAF SPRINGS				
Medium Load	50mm	0 - 200kg	RL873	2
Constant Load	50mm	200 - 300kg	RL874	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1025	1



# TOYOTA

## HILUX

KZN165, 166, 167

LN107, 108, 110, 111, 165, 166, 167, 170, 172

RN106, 110, 111

RZN169, 174R

VZN165, 166, 167

10/1997 - 2005

Torsion Bar Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6011BY	2
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM325	2
TORSION BARS				
Rate Increased		(Length - 1064mm)	TB1646	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS231	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6012Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326	2
LEAF SPRINGS				
Medium Load	40mm	0 - 150kg	RL875	2
Constant Load	40mm	150 - 200kg	RL876	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.			BSK1007	1



# TOYOTA

## HILUX N70 (VIGO)

GGN, KUN25 / GGN, KUN26

2005 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab - ENGINE: All Variants

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>NITRO &amp; PREDATOR STRUTS</b>				
Nitro	0-50mm	Nitrogen Gas Charged	G6324	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR324S	2

### REPLACEMENT FITTING KIT

Top fitting kit for struts	Contains bushes, washers and nut	PDCK324	2
----------------------------	----------------------------------	---------	---

### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

### COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS

Linear Rate	40mm	0 - 50kg	RC-1695	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2289	1 PAIR
Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR

### NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
-----------	------	-----------------------------------	-------	---

### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

### COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS

Linear Rate	40mm	0 - 50kg	RC-2463	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 80kg	RC-2300	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2410	1 PAIR

### UPPER CONTROL ARMS

For Increasing Caster	RCA350	1 PAIR
-----------------------	--------	--------

### FRONT DIFF RELOCATION KIT

	M1105	1 PAIR
--	-------	--------

### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 50kg	G6324-1695	2
Nitro+Coil+Top HAT	40mm	50 - 80kg	G6324-2289	2
Nitro+Coil+Top HAT	40mm	80 - 100kg	G6324-1696	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM324-2463	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	NM324-2298	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	NM324-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 80kg (Variable Rate)	NM324-2300	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	NM324-2410	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR324S-1695	2
Predator+Coil+Top HAT	40mm	50 - 80kg	PR324S-2289	2
Predator+Coil+Top HAT	40mm	80 - 100kg	PR324S-1696	2

### PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS

Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1077S-3006	2
-----------------------	--------	-------------------------	---------------	---

**ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.**

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>SHOCK ABSORBERS</b>				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM326	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR327S	2

### LEAF SPRINGS

Medium Load	45mm	0 - 200kg	RL877	2
Constant Load	45mm	200 - 400kg	RL878	2
HD Constant Load	40mm	400kg plus	RL969	2

### GREASABLE SHACKLE PIN

Rear Spring Front Eye	RGP169	2
-----------------------	--------	---

### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. NOTE: For components breakdown refer rear section.	BSK1001	1
---	---------	---

### EXTENSION KITS

Brake Hose Extension Kit	M1099K	1
--------------------------	--------	---



# TOYOTA

## HILUX N70 (VIGO)

GGN, KUN25 / GGN, KUN26 - \*\*\*\*\* NOTE - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY \*\*\*\*\*

2005 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1077S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA350	1 PAIR
FRONT DIFF RELOCATION KIT				
			M1105	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1055M1S	2
LEAF SPRINGS				
Constant Load	75mm	100kg	RL877	2
Constant Load	75mm	200kg	RL878	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for R877 & RL878 leaf springs. Includes greasable pins.			BSK1001	1
NOTE: For components breakdown refer rear section				
EXTENSION KITS				
Brake Hose Extension Kit		MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS	M1099K	1



# TOYOTA

## HILUX N80 (REVO)

### GUN125R, GUN126R

2015 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>NITRO &amp; PREDATOR STRUTS</b>				
Nitro	0-50mm	Nitrogen Gas Charged	G6964	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR964S	2
<b>REPLACEMENT FITTING KIT</b>				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
<b>STRUT TOP HAT</b>				
For replacement and pre-assembly			SAC956	2
<b>COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO &amp; PREDATOR STRUTS</b>				
Linear Rate	40mm	0 - 50kg	RC-2289	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-1696	1 PAIR
<b>NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW</b>				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM964	2
<b>STRUT TOP HAT</b>				
For replacement and pre-assembly			SAC956	2
<b>COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS</b>				
Linear Rate	40mm	0 - 50kg	RC-2463	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
Linear Rate	40mm	80 - 120kg	RC-2464	1 PAIR
Variable Rate	40mm	0 - 80kg	RC-2300	1 PAIR
Variable Rate	40mm	80 - 120kg	RC-2410	1 PAIR
<b>UPPER CONTROL ARMS</b>				
For Increasing Caster			RCA350	1 PAIR
<b>PRE-ASSEMBLED STRUTS</b>				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6964-2289	2
Nitro+Coil+Top HAT	40mm	50 - 100kg	G6964-1696	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg (Linear Rate)	NM964-2463	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg (Linear Rate)	NM964-2298	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Linear Rate)	NM964-2464	2
NitroMax+Coil+Top HAT	40mm	0 - 80kg (Variable Rate)	NM964-2300	2
NitroMax+Coil+Top HAT	40mm	80 - 120kg (Variable Rate)	NM964-2410	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR964S-2289	2
Predator+Coil+Top HAT	40mm	80 - 100kg	PR964S-1696	2
<b>PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS</b>				
Predator+Coil+Top HAT	0-75mm	0 - 100kg (Linear Rate)	XPR1077S-3006	2
<b>ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.</b>				
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
<b>SHOCK ABSORBERS</b>				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6965	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM965	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR965S	2
<b>LEAF SPRINGS</b>				
Comfort Load	45mm	0 - 100kg (Single stage spring only)	RL960	2
Medium Load	45mm	0 - 200kg	RL966	2
Constant Load	45mm	350kg	RL967	2
HD Constant Load	40mm	550kg plus	RL968	2
<b>BUSH SHACKLE U-BOLT KIT</b>				
Mounting kit for RL960 & RL966 leaf springs. Includes greasable pins.			BSK1010	1
Mounting kit for RL967 & RL968 leaf springs. Includes greasable pins.			BSK1034	1
<b>NOTE: For components breakdown refer rear section</b>				
<b>EXTENSION KITS</b>				
Brake Hose Extension Kit		<b>MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS</b>	M998	1

# TOYOTA

## HILUX N80 (REVO)

### GUN125R, GUN126R - LONG TRAVEL LIFT KIT - FOR OFF ROAD USE ONLY

2015 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
PRE-ASSEMBLED HEIGHT ADJUSTABLE COIL OVER STRUTS				
Predator+Coil+Top HAT	75mm		XPR1077S-3006	2
ATTENTION: Refer to Local Laws before fitting XPR parts to registered road vehicles, an engineering certificate may be required.				
UPPER CONTROL ARMS				
For Increasing Caster			RCA350	1 PAIR
FRONT DIFF RELOCATION KIT				
			M1105	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Predator	75mm	46mm Bore Monotube Nitrogen Gas Charged	PR1055M1S	2
LEAF SPRINGS				
Comfort Spring	60-65mm	0-0kg	RL960	2
Constant Load	75mm	100kg	RL966	2
Constant Load	75mm	200kg	RL967	2
GREASABLE SHACKLE PIN				
Rear Spring Front Eye			RGP169	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for RL960 & RL966 leaf springs. Includes greasable pins.			BSK1010	1
Mounting kit for RL967 leaf springs. Includes greasable pins.			BSK1034	1
NOTE: For components breakdown refer rear section				
EXTENSION KITS				
Brake Hose Extension Kit	MUST BE USED WITH THE FITMENT OF RAW SHOCK ABSORBERS		M998	1



# TOYOTA

## LANDCRUISER - 40 SERIES

BJ40, 42, 45, 46

02/1974 - 1985

Leaf Spring Front / Leaf Spring Rear

SWB & LWB (All Variants)

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

## FJ40, HJ40

1959 - 01/1975

Leaf Spring Front / Leaf Spring Rear

SWB & LWB (All Variants) **For post 01/1975 models refer next entry**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6026Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2



# TOYOTA

## LANDCRUISER - 40 SERIES

### FJ40, HJ40

01/1975 - 10/1984

Leaf Spring Front/Leaf Spring Rear

SWB & LWB (All Variants) **For pre 01/1975 models refer previous entry**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

### FJ45, HJ45 & HJ47

1961 - 10/1984

Leaf Spring Front / Leaf Spring Rear

SWB & LWB (All Variants)

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6026Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2



# TOYOTA

## LANDCRUISER - 55 SERIES

### FJ55

1969 - 08/1980

Leaf Spring Front / Leaf Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6019M3Y	2
RFX	50mm	35mm Bore Nitrogen Gas Charged	G6009M1Y	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2

## LANDCRUISER - 60 SERIES

### FJ60, FJ62 / HJ60, HJ61

08/1980 - 10/1985

Leaf Spring Front / Leaf Spring Rear

Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009Y	2
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS176	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6010Y	2



# TOYOTA

## LANDCRUISER - 60 SERIES

FJ60, FJ62 / HJ60, HJ61

10/1985 - 1990

Leaf Spring Front / Leaf Spring Rear

Wagon

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6009Y	2

### LEAF SPRINGS

Constant Load	50mm	Diesel / 0 - 100kg	RL859	2
Constant Load	50mm	Turbo Diesel / 0 -100kg	RL860	2

### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.	BSK1026	1
---	---------	---

### STEERING DAMPER

Big Bore	35mm Gas Cell Technology	SS176	1
----------	--------------------------	-------	---

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6027Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6014Y	2

### LEAF SPRINGS

Medium Load	50mm	0 - 200kg (Driver Side)	RL861DS	1
Medium Load	50mm	0 - 200kg (Near Side)	RL861NS	1
Constant Load	50mm	200 - 300kg (Driver Side)	RL862DS	1
Constant Load	50mm	200 - 300kg (Near Side)	RL862NS	1

### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.	BSK1027	1
---	---------	---



# TOYOTA

## LANDCRUISER - 70 SERIES

FJ / BJ70, BJ71, FJ / BJ73, FJ / BJ74

1984 - 1993

Leaf Spring Front / Leaf Spring Rear

Mid Wheel Base

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6009Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6002Y	2
LEAF SPRINGS				
Constant Load	50mm	0 - 100kg	RL863	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1026	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS176	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
LEAF SPRINGS				
Medium Load	50mm	0 - 200kg (Driver Side)	RL861DS	1
Medium Load	50mm	0 - 200kg (Near Side)	RL861NS	1
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1028	1

# TOYOTA

## LANDCRUISER - 71 SERIES

FZJ71, HZJ71

1999 on

Coil Spring Front / Leaf Spring Rear

Wagon - ENGINE: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6005M1Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM996	2
COIL SPRINGS				
Linear Rate	45-50mm	0 - 100kg	RC-1414	1 PAIR
Linear Rate	45-50mm	100 - 150kg	RC-1415	1 PAIR
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS176	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997	2
LEAF SPRINGS				
Medium Load	50mm	0 - 200kg (Driver Side)	RL861DS	1
Medium Load	50mm	0 - 200kg (Near Side)	RL861NS	1
Constant Load	50mm	200 - 300kg (Driver Side)	RL862DS	1
Constant Load	50mm	200 - 300kg (Near Side)	RL862NS	1
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1029	1



# TOYOTA

## LANDCRUISER - 75 SERIES

BJ75, FJ75, FZJ75, HJ75, HZJ75

11/1984 - 09/1999

Leaf Spring Front / Leaf Spring Rear

Cab Chassis & Troop Carrier

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6009Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6002Y	2

#### LEAF SPRINGS

Constant Load	50mm	Petrol / 0 - 50kg	RL863	2
Constant Load	50mm	Diesel / 0 - 100kg	RL864	2

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.	BSK1026	1
---	---------	---

#### STEERING DAMPER

Big Bore	35mm Gas Cell Technology	SS176	1
----------	--------------------------	-------	---

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2

#### LEAF SPRINGS

Medium Load	50mm	0 - 200kg	RL865	2
Constant Load	50mm	200 - 400kg	RL866	2

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.	BSK1030	1
---	---------	---

# TOYOTA

## LANDCRUISER - 76 SERIES

### VDJ76

02/2007 on

Coil Spring Front / Leaf Spring Rear

Wagon - ENGINE: 2.8LT Turbo Diesel / 4.5LT Turbo Diesel / 4.0LT V6 Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005M1Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM996	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-1414	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-1415	1 PAIR
Linear Rate	50mm	0 - 100kg ( 4.0LT V6 Petrol)	RC-1449	1 PAIR
Caster BUSH KIT NOTE: It is recommended tHAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS656	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997	2
LEAF SPRINGS				
Medium Load	50mm	0 - 150kg	RL869	2
Constant Load	50mm	150 - 300kg	RL870	2
BUSH SHACKLE U-BOLT KIT				
Mounting kit for leaf springs. Includes greasable pins. NOTE: For components breakdown refer rear section.			BSK1011	1



# TOYOTA

## LANDCRUISER - 78 SERIES

FZJ78, HZJ78, VDJ78

09/1999 on

Coil Spring Front / Leaf Spring Rear

Troop Carrier - ENGINE: 2.8LT Turbo Diesel / 4.5LT Turbo Diesel / 4.0LT V6 Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005M1Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM996	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg ( 2.8LT Turbo Diesel / 4.5LT Turbo Diesel)	RC-1414	1 PAIR
Linear Rate	50mm	100 - 150kg (2.8LT Turbo Diesel / 4.5LT Turbo Diesel)	RC-1415	1 PAIR
Linear Rate	50mm	0 - 100kg ( 4.0LT V6 Petrol)	RC-1449	1 PAIR
Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore	09/1999 - 04/2007	35mm Gas Cell Technology FZJ78 & HZJ78	SS214	1
Big Bore	04/2007 on	35mm Gas Cell Technology VDJ78 (V8 Diesel Engine)	SS656	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997	2
LEAF SPRINGS				
Light Load	50mm	0 - 250kg	RL868	2
Constant Load	50mm	250 - 400kg	RL948	2
HD Constant Load	50mm	400 - 600kg	RL949	2
Extra HD Constant Load	50mm	600kg plus	RL950	2
BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section				
Mounting kit for leaf springs RL868. Includes greasable pins.			BSK1013	1
Mounting kit for leaf springs RL948, RL949, RL950. Includes greasable pins.			BSK1014	1

For OE Shackle pin bush kits refer rear section

# TOYOTA

## LANDCRUISER - 79 SERIES

FZJ79, HDJ79, HZJ79, VDJ79

09/1999 on

Coil Spring Front / Leaf Spring Rear

Ute & Cab Chassis (Excluding Dual Cab) - ENGINE: 2.8LT Turbo Diesel / 4.5LT Turbo Diesel / 4.0LT V6 Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005M1Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM996	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-1414	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-1415	1 PAIR
Linear Rate	50mm	0 - 100kg ( 4.0LT V6 Petrol)	RC-1449	1 PAIR
Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore	09/1999 - 04/2007	35mm Gas Cell Technology FZJ79, HDJ79 & HZJ79	SS214	1
Big Bore	04/2007 on	35mm Gas Cell Technology VDJ79 (V8 DIESEL & PETROL ENGINE)	SS656	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997	2
LEAF SPRINGS				
Light Load	50mm	0 - 250kg	RL868	2
Constant Load	50mm	250 - 400kg	RL948	2
HD Constant Load	50mm	400 - 600kg	RL949	2
Extra HD Constant Load	50mm	600kg plus	RL950	2
BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section				
Mounting kit for leaf springs RL868. Includes greasable pins.			BSK1013	1
Mounting kit for leaf springs RL948, RL949, RL950. Includes greasable pins.			BSK1014	1

For OE Shackle pin bush kits refer rear section



# TOYOTA

## LANDCRUISER - 79 SERIES

### VDJ79R - DUAL CAB

2013 on

Coil Spring Front / Leaf Spring Rear

**DUAL CAB** - ENGINE: 2.8LT Turbo Diesel / 4.5LT Turbo Diesel / 4.0LT V6 Petrol

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6005M1Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6003Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM996	2

#### COIL SPRINGS

Linear Rate	50mm	0 - 100kg	RC-1414	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-1415	1 PAIR
Linear Rate	50mm	0 - 100kg ( 4.0LT V6 Petrol)	RC-1449	1 PAIR

Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
--------------	------	---	----------	---

#### STEERING DAMPER

Big Bore		35mm Gas Cell Technology	SS656	1
----------	--	--------------------------	-------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	STD	35mm Bore Nitrogen Gas Charged	G6014Y	2
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6006Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM997	2

#### LEAF SPRINGS

Light Load	50mm	0 - 150kg	RL868	2
Medium Load	50mm	150 - 300kg	RL948	2
Constant Load	50mm	300 - 500kg	RL949	2
HD Constant Load	50mm	500kg plus	RL950	2

BUSH SHACKLE U-BOLT KIT NOTE: For components breakdown refer rear section

Mounting kit for leaf springs RL868. Includes greasable pins.	BSK1013	1
---	---------	---

Mounting kit for leaf springs RL948, RL949, RL950. Includes greasable pins.	BSK1014	1
---	---------	---



# TOYOTA

## LANDCRUISER - 80 SERIES

FJ80, HDJ80, HZJ80

05/1990 - 08/1991

Coil Spring Front / Coil Spring Rear

Wagon - Engine: All Variants - **NOTE: For 100mm (4") lift refer over page**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6001Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM272	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-1407	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-1409	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-2164	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability</b>				
Panhard Rod			KPR007	1
Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS176	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6002Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM273	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-1511	1 PAIR
Progressive Rate	50mm	0 - 200kg	RC-1459	1 PAIR
Linear Rate	50mm	200 - 300kg	RC-1541	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-1513	1 PAIR
Linear Rate	50mm	500kg plus	RC-1514	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability</b>				
Panhard Rod			KPR008	1



# TOYOTA

## LANDCRUISER - 80 SERIES

FJ80, HDJ80, HZJ80

08/1991 - 03/1998

Coil Spring Front / Coil Spring Rear

Wagon - Engine: All Variants - **NOTE: For 100mm (4") lift refer next page**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6001Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM272	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-1407	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-1409	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-2164	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability</b>				
Panhard Rod			KPR007	1
Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore	08/1991-12/1994	35mm Gas Cell Technology	SS176	1
Big Bore	1995-03/1998	35mm Gas Cell Technology	SS214	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6002Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM273	2
COIL SPRINGS				
Linear Rate	50mm	0 - 100kg	RC-1511	1 PAIR
Progressive Rate	50mm	0 - 200kg	RC-1459	1 PAIR
Linear Rate	50mm	200 - 300kg	RC-1541	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-1513	1 PAIR
Linear Rate	50mm	500kg plus	RC-1514	1 PAIR
ADJUSTABLE PANHARD ROD - <b>Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability</b>				
Panhard Rod			KPR008	1



# TOYOTA

## LANDCRUISER - 80 SERIES

FJ80, HDJ80, HZJ80 - 100mm (4") Lift

05/1990 on

Coil Spring Front / Coil Spring Rear

Wagon - **NOTE: Suspension Components listed on this page are for Off-Road use only** - ENGINE: All Variants

**DISCLAIMER:** Raw 4x4 will not accept any responsibility for personal injury or property breakage resulting from the fitment of any products listed on this page. **WARRANTY:** Engineers certificate required for warranty validation.

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	100mm	45mm Bore Nitrogen Gas Technology	NM497	2
-----------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 100kg	RC-1411	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability**

Panhard Rod			KPR007	1
-------------	--	--	--------	---

Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

Polyurethane	70-100mm	Up tro 4 Degrees increase in Caster Setting	PDB1721XK	1
--------------	----------	---	-----------	---

#### STEERING DAMPER

Big Bore	05/1990-12/1994	35mm Gas Cell Technology	SS176	1
Big Bore	1995-03/1998	35mm Gas Cell Technology	SS214	1

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	100mm	45mm Bore Nitrogen Gas Technology	NM498	2
-----------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 300kg	RC-1515	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability**

Panhard Rod			KPR008	1
-------------	--	--	--------	---



# TOYOTA

## LANDCRUISER - 100 SERIES

HDJ100, HZJ100, UZJ100

1998 - 11/2007

Torsion Bar Front / Coil Spring Rear

Wagon - Engine: All Variants

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM271	2
TORSION BARS				
Rate Increased		Petrol (Length - 1160mm)	TB1600	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max#	0-50mm	45mm Bore Nitrogen Gas Technology	NM273M1	2
COIL SPRINGS				
Progressive Rate	50mm	0 - 200kg	RC-1459	1 PAIR
Linear Rate	60mm	200 - 400kg	RC-1513	1 PAIR
Linear Rate	50mm	400kg plus	RC-1514	1 PAIR

# TOYOTA

## LANDCRUISER - 105 SERIES

FZJ105R, HZJ105R

04/1998 on

Coil Spring Front / Coil Spring Rear

Wagon - Engine: All Variants - **NOTE: For 100mm (4") lift refer next page**

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM272	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-1407	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-1409	1 PAIR
Linear Rate	50mm	100 - 150kg	RC-2164	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability				
Panhard Rod			KPR007	1
Caster BUSH KIT NOTE: It is recommended tHAT the following Caster Bush Kits be fitted to raised Suspensions				
Polyurethane	50mm	Plus 2 Degrees increase in Caster Setting	PDB1721K	1
STEERING DAMPER				
Big Bore		35mm Gas Cell Technology	SS214	1
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max#	50mm	45mm Bore Nitrogen Gas Technology	NM273	2
COIL SPRINGS				
Progressive Rate	50mm	0 - 200kg	RC-1459	1 PAIR
Linear Rate	50mm	200 - 300kg	RC-1541	1 PAIR
Linear Rate	60mm	300 - 500kg	RC-1513	1 PAIR
Linear Rate	50mm	500kg plus	RC-1514	1 PAIR
ADJUSTABLE PANHARD ROD - Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability				
Panhard Rod			KPR008	1



# TOYOTA

## LANDCRUISER - 105 SERIES

FZJ105R, HZJ105R 100mm (4") Lift

04/1998 on

Coil Spring Front / Coil Spring Rear

Wagon - **NOTE: Suspension Components listed on this page are for Off-Road use only** - ENGINE: All Variants

**DISCLAIMER:** Raw 4x4 will not accept any responsibility for personal injury or property breakage resulting from the fitment of any products listed on this page. **WARRANTY:** Engineers certificate required for warranty validation.

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	100mm	45mm Bore Nitrogen Gas Technology	NM497	2
-----------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 100kg	RC-1411	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability**

Panhard Rod			KPR007	1
-------------	--	--	--------	---

Caster BUSH KIT NOTE: It is recommended THAT the following Caster Bush Kits be fitted to raised Suspensions

Polyurethane	70-100mm	Up to 4 Degrees increase in Caster Setting	PDB1721XK	1
--------------	----------	--	-----------	---

#### STEERING DAMPER

Big Bore		35mm Gas Cell Technology	SS214	1
----------	--	--------------------------	-------	---

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max#	100mm	45mm Bore Nitrogen Gas Technology	NM498	2
------------	-------	-----------------------------------	-------	---

#### COIL SPRINGS

Linear Rate	100mm	0 - 300kg	RC-1515	1 PAIR
-------------	-------	-----------	---------	--------

ADJUSTABLE PANHARD ROD - **Recommended fitment for vehicles with raised suspensions to prevent axle shift and increase stability**

Panhard Rod			KPR008	1
-------------	--	--	--------	---



# TOYOTA

## LANDCRUISER - 200 SERIES

### GJR200

11/2007 on

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: 4.0L 6 Cyl Petrol

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro Max	0-50mm	41mm Nitrogen Gas Charged	NM631	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR632S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC959	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-2214	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-2215	1 PAIR
UPPER CONTROL ARMS				
For Increasing Caster			RCA357	1 PAIR
PRE-ASSEMBLED STRUTS				
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM631-2214	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM631-2215	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR632S-2214	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR632S-2215	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM273M3	2
Predator#	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR634S	2
COIL SPRINGS				
Linear Rate	50mm	0 - 300kg	RC-2219	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-2220	1 PAIR
Linear Rate	50mm	500 - 750kg	RC-2221	1 PAIR



# TOYOTA

## LANDCRUISER - 200 SERIES

UJR200, UZJ200, VDJ200

11/2007 on

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: 4.7L & 5.7L V8 Petrol & 4.5L V8 Twin T / Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro Max	0-50mm	41mm Nitrogen Gas Charged	NM631	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged Top fitting kit not supplied	PR632S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC959	2
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-2214	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-2215	1 PAIR
UPPER CONTROL ARMS				
For Increasing Caster			RCA357	1 PAIR
PRE-ASSEMBLED STRUTS				
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM631-2214	2
NitroMax+Coil+Top HAT	40mm	50 - 100kg	NM631-2215	2
Predator+Coil+Top HAT	40mm	0 - 50kg	PR632S-2214	2
Predator+Coil+Top HAT	40mm	50 - 100kg	PR632S-2215	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM273M3	2
Predator#	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR634S	2
COIL SPRINGS				
Linear Rate	50mm	0 - 300kg	RC-2219	1 PAIR
Linear Rate	50mm	300 - 500kg	RC-2220	1 PAIR
Linear Rate	50mm	500 - 750kg	RC-2221	1 PAIR





# TOYOTA

## LANDCRUISER - 300 SERIES

LC300 - Excludes Sahara ZX and GR Sport (Fitted with AVS)

2022 on

Coil Spring Front / Coil Spring Rear

Wagon - ENGINE: 3.3L V6 Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
AR45 Nitro Max	40 - 75mm		NM1350	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC959	2
UPPER CONTROL ARMS				
For Increasing Caster			RCA448	1 PAIR
COIL SPRINGS				
Linear Rate	50mm	0 - 50kg	RC-2544	1 PAIR
Linear Rate	50mm	50-100kg Bull Bar / Heavy Duty	RC-2545	1 PAIR
Linear Rate	50mm	100-250 Bull Bar / Winch Heavy Duty	RC-2554	1 PAIR
PREASSEMBLED ADJUSTABLE RIDE HEIGHT STRUTS				
AR45 NitroMax+Coil+Top HAT	40 - 75mm	0 - 50kg	NM1350-2544	2
AR45 NitroMax+Coil+Top HAT	40 - 75mm	50-100kg Bull Bar / Heavy Duty	NM1350-2545	2
AR45 NitroMax+Coil+Top HAT	40 - 75mm	100-250 Bull Bar / Winch Heavy Duty	NM1350-2554	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	0-50mm	45mm Bore Nitrogen Gas Technology	NM1352	2
COIL SPRINGS				
Progressive Rate	35mm	0-100kg	RC-2546	1 PAIR
Progressive Rate	50mm	100-250kg - Comfort Spring	RC-2555	1 PAIR
Progressive Rate	50mm	250-500kg Constant Load	RC-2547	1 PAIR
Progressive Rate	50mm	500kg Constant Load - GVM	RC-2556	1 PAIR



# TOYOTA

## PRADO - 70 SERIES (LANDCRUISER II)

RJ77 / KZJ78 / LJ78, LJ79

1987 - 1996

Coil Spring Front / Coil Spring Rear - 4 Door Wagon - ENGINE: 2.4L Petrol & 2.4L Turbo Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6004M2Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2292	1 PAIR
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6640Y	2
Nitro	60mm	35mm Bore Nitrogen Gas Charged	G6004Y	2
COIL SPRINGS				
Linear Rate	40mm	0 - 150kg	RC-2293	1 PAIR

## PRADO - 90 SERIES

KDJ90, KZJ90, KDJ95, KZJ95, RZJ90, VZJ90, RZJ95, VZJ95

1996 - 2003

Coil Spring Front / Coil Spring Rear - Wagon - ENGINE: 2.7L, V6 Petrol & 3.0L Turbo Diesel

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS				
Nitro	50mm	35mm Bore Nitrogen Gas Charged	G6723	2
Predator	50mm	Silver 46mm Bore Monotube Nitrogen Gas Charged	PR723S	2
Predator	50mm	White 46mm Bore Monotube Nitrogen Gas Charged	PR723	2
REPLACEMENT FITTING KIT				
Top fitting kit for struts		Contains bushes, washers and nut	PDCK324	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC1501	2
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-1405	1 PAIR
Linear Rate	40mm	50 - 75kg	RC-1789	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 50kg	G6723-1405	2
Nitro+Coil+Top HAT	40mm	50 - 75kg	G6723-1789	2
Predator+Coil+Top HAT	40mm	0 - 50kg (Silver)	PR723S-1405	2
Predator+Coil+Top HAT	40mm	50 - 75kg (Silver)	PR723S-1789	2
Predator+Coil+Top HAT	40mm	0 - 50kg (White)	PR723-1405	2
Predator+Coil+Top HAT	40mm	50 - 75kg (White)	PR723-1789	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro#	0-50mm	35mm Bore Nitrogen Gas Charged	G6756Y	2
Predator#	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR724S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 100kg	RC-1507	1 PAIR
Progressive Rate	40mm	100 - 250kg	RC-1508	1 PAIR



# TOYOTA

## PRADO - 120 SERIES (For Rear Air Replacement see next listing)

GRJ120 (4.0L V6), KDJ120 / 121, KZJ120

2003 on

Coil Spring Front / Coil Spring Rear

LWB & SWB Wagon

### FRONT SUSPENSION

#### UPPER CONTROL ARMS

For Increasing Caster RCA360 1 PAIR

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### NITRO & PREDATOR STRUTS

Nitro	0-50mm	Nitrogen Gas Charged	G6539	2
-------	--------	----------------------	-------	---

Predator	0-50mm	46mm Bore Monotube Nitrogen Gas Charged	PR539S	2
----------	--------	---	--------	---

#### STRUT TOP PIN FITTING KIT

For replacement and pre-assembly	PDCK324	2
----------------------------------	---------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

#### COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS

Linear Rate	40mm	0 - 30kg	RC-1695	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	30 - 80kg	RC-2289	1 PAIR
-------------	------	-----------	---------	--------

Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR
-------------	------	------------	---------	--------

#### NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
-----------	------	-----------------------------------	-------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

#### COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS - For all models EXCLUDING those with KDSS

Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
-------------	------	-----------	---------	--------

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 30kg	G6539-1695	2
--------------------	------	----------	------------	---

Nitro+Coil+Top HAT	40mm	30 - 80kg	G6539-2289	2
--------------------	------	-----------	------------	---

Nitro+Coil+Top HAT	40mm	80 - 100kg	G6539-1696	2
--------------------	------	------------	------------	---

NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM324-2290	2
-----------------------	------	----------	------------	---

NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM324-2298	2
-----------------------	------	-----------	------------	---

Predator+Coil+Top HAT	40mm	0 - 30kg	PR539S-1695	2
-----------------------	------	----------	-------------	---

Predator+Coil+Top HAT	40mm	30 - 80kg	PR539S-2289	2
-----------------------	------	-----------	-------------	---

Predator+Coil+Top HAT	40mm	80 - 100kg	PR539S-1696	2
-----------------------	------	------------	-------------	---

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6540	2
-------	--------	--------------------------------	-------	---

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM540	2
-----------	------	-----------------------------------	-------	---

Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR977S	2
----------	------	---	--------	---

#### COIL SPRINGS

Progressive Rate	40mm	0 - 50kg / Comfort	RC-2428	1 PAIR
------------------	------	--------------------	---------	--------

Linear Rate	40mm	0 - 150kg	RC-1698	1 PAIR
-------------	------	-----------	---------	--------

Linear Rate	40mm	150 - 250kg	RC-1699	1 PAIR
-------------	------	-------------	---------	--------

LEGEND: OEM ORIGINAL EQUIPMENT  
MANUFACTURE

STD STANDARD  
S SILVER BODY

B FITTED WITH DUST BOOT  
Y FITTED WITH POLY BUSHES

\* IN DEVELOPMENT  
\*\* GENERIC PRODUCT

# SHOCK ARMOR  
AVAILABLE



# TOYOTA

## PRADO - 120 SERIES (Rear Air Suspension Replacement ONLY)

GRJ120 (4.0L V6), KDJ120 / 121, KZJ120

2003 on

Coil Spring Front / Air Suspension to Coil Conversion

Wagon

### FRONT SUSPENSION

#### UPPER CONTROL ARMS

For Increasing Caster RCA360 1 PAIR

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### NITRO & PREDATOR STRUTS

Nitro	0-50mm	Nitrogen Gas Charged	G6539	2
-------	--------	----------------------	-------	---

Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR539S	2
----------	------	---	--------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

#### STRUT TOP PIN FITTING KIT

For replacement and pre-assembly	PDCK324	2
----------------------------------	---------	---

#### COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS

Linear Rate	40mm	0 - 30kg	RC-1695	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	30 - 80kg	RC-2289	1 PAIR
-------------	------	-----------	---------	--------

Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR
-------------	------	------------	---------	--------

#### NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM324	2
-----------	------	-----------------------------------	-------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

#### COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS - For all models EXCLUDING those with KDSS

Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
-------------	------	-----------	---------	--------

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 30kg	G6539-1695	2
--------------------	------	----------	------------	---

Nitro+Coil+Top HAT	40mm	30 - 80kg	G6539-2289	2
--------------------	------	-----------	------------	---

Nitro+Coil+Top HAT	40mm	80 - 100kg	G6539-1696	2
--------------------	------	------------	------------	---

NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM324-2290	2
-----------------------	------	----------	------------	---

NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM324-2298	2
-----------------------	------	-----------	------------	---

Predator+Coil+Top HAT	40mm	0 - 30kg	PR539S-1695	2
-----------------------	------	----------	-------------	---

Predator+Coil+Top HAT	40mm	30 - 80kg	PR539S-2289	2
-----------------------	------	-----------	-------------	---

Predator+Coil+Top HAT	40mm	80 - 100kg	PR539S-1696	2
-----------------------	------	------------	-------------	---

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6540	2
-------	--------	--------------------------------	-------	---

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM540	2
-----------	------	-----------------------------------	-------	---

Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR977S	2
----------	------	---	--------	---

#### COIL SPRINGS

Linear Rate	40mm	0 - 200kg	RC-2471K	1 PAIR
-------------	------	-----------	----------	--------



# TOYOTA

## PRADO - 150 SERIES (For Rear Air Replacement see next listing)

GJR150, KDJ150, KDJ155

2010 on

Coil Spring Front / Coil Spring Rear

LWB & SWB Wagon

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
UPPER CONTROL ARMS				
For Increasing Caster			RCA360	1 PAIR
NITRO & PREDATOR STRUTS				
Nitro	0-50mm	Nitrogen Gas Charged	G6539M1	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR541S	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
STRUT TOP PIN FITTING KIT				
For replacement and pre-assembly			PDCK324	2
COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS-For all models EXCLUDING those with KDSS				
Linear Rate	40mm	0 - 30kg	RC-1695	1 PAIR
Linear Rate	40mm	30 - 80kg	RC-2289	1 PAIR
Linear Rate	40mm	80 -100kg	RC-1696	1 PAIR
COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS - For all models WITH KDSS				
Linear Rate	40mm	0 - 30kg	RC-2338	1 PAIR
NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM964	2
STRUT TOP HAT				
For replacement and pre-assembly			SAC956	2
COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS - For all models EXCLUDING those with KDSS				
Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
PRE-ASSEMBLED STRUTS				
Nitro+Coil+Top HAT	40mm	0 - 30kg	G6539M1-1695	2
Nitro+Coil+Top HAT	40mm	30 - 80kg	G6539M1-2289	2
Nitro+Coil+Top HAT	40mm	80 - 100kg	G6539M1-1696	2
Nitro+Coil+Top HAT	40mm	0 - 30kg (For all models with KDSS)	G6539M1-2338	2
NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM964-2290	2
NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM964-2298	2
Predator+Coil+Top HAT	40mm	0 - 30kg	PR541S-1695	2
Predator+Coil+Top HAT	40mm	30 - 80kg	PR541S-2289	2
Predator+Coil+Top HAT	40mm	80 - 100kg	PR541S-1696	2
Predator+Coil+Top HAT	40mm	0 - 30kg (For all models with KDSS)	PR541S-2338	2

SEE NEXT PAGE FOR REAR APPLICATIONS



# TOYOTA

## PRADO - 150 SERIES (For Rear Air Replacement see next listing)

GJR150, KDJ150, KDJ155

2010 on

Coil Spring Front / Coil Spring Rear

LWB & SWB Wagon

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6540	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM273M4	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR540S	2
COIL SPRINGS				
Progressive Rate	40mm	0 - 50kg / Comfort	RC-2428	1 PAIR
Linear Rate	40mm	0 - 150kg	RC-1698	1 PAIR
Linear Rate	40mm	150 - 250kg	RC-1699	1 PAIR

# TOYOTA

## PRADO - 150 SERIES (Rear Air Suspension Replacement ONLY)

GJR150, KDJ150, KDJ155

2010 on

Coil Spring Front / Air Suspension to Coil Conversion

Wagon

### FRONT SUSPENSION

#### UPPER CONTROL ARMS

For Increasing Caster RCA360 1 PAIR

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### NITRO & PREDATOR STRUTS

Nitro	0-50mm	Nitrogen Gas Charged	G6539M1	2
-------	--------	----------------------	---------	---

Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR541S	2
----------	------	---	--------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

#### STRUT TOP PIN FITTING KIT

For replacement and pre-assembly	PDCK324	2
----------------------------------	---------	---

COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS - For all models EXCLUDING those with KDSS

Linear Rate	40mm	0 - 30kg	RC-1695	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	30 - 80kg	RC-2289	1 PAIR
-------------	------	-----------	---------	--------

Linear Rate	40mm	80 - 100kg	RC-1696	1 PAIR
-------------	------	------------	---------	--------

COIL SPRINGS IN RED ONLY TO BE USED WITH NITRO & PREDATOR STRUTS - For all models WITH KDSS

Linear Rate	40mm	0 - 30kg	RC-2338	1 PAIR
-------------	------	----------	---------	--------

NITRO MAX STRUTS - NOTE: NOT COMPATIBLE WITH OE COILS ONLY USE RAW COILS LISTED BELOW

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM964	2
-----------	------	-----------------------------------	-------	---

#### STRUT TOP HAT

For replacement and pre-assembly	SAC956	2
----------------------------------	--------	---

COIL SPRINGS IN BLUE ONLY TO BE USED WITH NITROMAX STRUTS - For all models EXCLUDING those with KDSS

Linear Rate	40mm	0 - 50kg	RC-2290	1 PAIR
-------------	------	----------	---------	--------

Linear Rate	40mm	50 - 80kg	RC-2298	1 PAIR
-------------	------	-----------	---------	--------

#### PRE-ASSEMBLED STRUTS

Nitro+Coil+Top HAT	40mm	0 - 30kg	G6539M1-1695	2
--------------------	------	----------	--------------	---

Nitro+Coil+Top HAT	40mm	30 - 80kg	G6539M1-2289	2
--------------------	------	-----------	--------------	---

Nitro+Coil+Top HAT	40mm	80 - 100kg	G6539M1-1696	2
--------------------	------	------------	--------------	---

Nitro+Coil+Top HAT	40mm	0 - 30kg (For all models with KDSS)	G6539M1-2338	2
--------------------	------	-------------------------------------	--------------	---

NitroMax+Coil+Top HAT	40mm	0 - 50kg	NM964-2290	2
-----------------------	------	----------	------------	---

NitroMax+Coil+Top HAT	40mm	50 - 80kg	NM964-2298	2
-----------------------	------	-----------	------------	---

Predator+Coil+Top HAT	40mm	0 - 30kg	PR541S-1695	2
-----------------------	------	----------	-------------	---

Predator+Coil+Top HAT	40mm	30 - 80kg	PR541S-2289	2
-----------------------	------	-----------	-------------	---

Predator+Coil+Top HAT	40mm	80 - 100kg	PR541S-1696	2
-----------------------	------	------------	-------------	---

Predator+Coil+Top HAT	40mm	0 - 30kg (For all models with KDSS)	PR541S-2338	2
-----------------------	------	-------------------------------------	-------------	---

SEE NEXT PAGE FOR REAR APPLICATIONS



# TOYOTA

## PRADO - 150 SERIES (Rear Air Suspension Replacement ONLY)

GJR150, KDJ150, KDJ155

2010 on

Coil Spring Front / Air Suspension to Coil Conversion

Wagon

REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6540	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM273M4	2
Predator	50mm	46mm Bore Monotube Nitrogen Gas Charged	PR540S	2
COIL SPRINGS				
Linear Rate	40mm	0 - 200kg	RC-2484K	1 PAIR



# VOLKSWAGEN

## AMAROK

### AMAROK

02/2011 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

#### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS

Nitro	0-50mm	Nitrogen Gas Charged - Does not come with top pin kit	G61063	2
-------	--------	---	--------	---

**NOTE: It is strongly recommended to replace the CV bolts when fitting replacements struts using the M1102K CV bolt kit.**

#### COIL SPRINGS

Linear Rate	50mm	0 - 50kg	RC-2346	1 PAIR
Linear Rate	50mm	50 - 100kg	RC-2474	1 PAIR

#### CV BOLT KIT

CV Replacement Bolt Kit		One kit contains 6 bolts	M1102K	2
-------------------------	--	--------------------------	--------	---

#### DIFF DROP KIT

Diff drop kit		<b>HIGHLY RECOMMENDED</b>	M1103K	1
---------------	--	---------------------------	--------	---

#### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro	0-50mm	35mm Bore Nitrogen Gas Charged	G6012M3Y	2
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1028M1	2

#### LEAF SPRINGS

Light Load	50mm	0 - 200kg	RL970	2
Medium Load	50mm	200 - 400kg	RL971	2
Constant Load	50mm	400 - 800kg	RL972	2

#### BUSH SHACKLE U-BOLT KIT

Mounting kit for leaf springs. <b>Re-use OEM Shackle.</b>			BSK1037	1
---	--	--	---------	---

**NOTE: For components breakdown refer rear section.**



# VOLKSWAGEN

## AMAROK

AMAROK (TDI405 & TDI500 4CYL Diesel and TSI452 4CYL Petrol)

06/2022 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

FRONT SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
STRUTS - Adjustable Ride Height				
Nitro	0-50mm	Nitro Gas Charged	G61408	2
AR45 Nitro Max	40 - 75mm	45mm Bore Nitrogen Gas Technology	NM1408	2
STRUT TOP HAT & BUMPSTOP				
For replacement and pre-assembly			SAC1508	2
UPPER CONTROL ARMS				
For Increasing Caster		Suitable for Alloy Steering Knuckle	RCA449	1 PAIR
For Increasing Caster		Suitable for Steel Steering Knuckle	RCA450	1 PAIR
COIL SPRINGS				
Linear Rate	40mm	0 - 50kg	RC-2561	1 PAIR
Linear Rate	40mm	50 - 120kg	RC-2562	1 PAIR
SWAY BAR LINK - HIGHLY RECOMMENDED				
Adjustable sway bar link			RSBL260A-14	2
PREASSEMBLED ADJUSTABLE RIDE HEIGHT STRUTS				
Nitro + Coil + Top HAT	0-50mm	0 - 50kg (Linear Rate)	G61408-2561	2
Nitro + Coil + Top HAT	0-50mm	50 - 120kg (Linear Rate)	G61408-2562	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	0 - 50kg (Linear Rate)	NM1408-2561	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	50 - 120kg (Linear Rate)	NM1408-2562	2
REAR SUSPENSION				
PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
SHOCK ABSORBERS				
Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1409	2
LEAF SPRINGS				
Comfort Load	40mm	0 - 150kg	RL1410	2
Medium Load	40mm	150 - 300kg	RL1411	2
Constant Load	40mm	300 - 500kg	RL1412	2
BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.				
Mounting kit for leaf springs			BSK1039	1

# VOLKSWAGEN

## AMAROK

AMAROK (TDI600 V6 Diesel)

06/2022 on

Coil Spring Front / Leaf Spring Rear

Ute / Dual Cab

### FRONT SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### STRUTS - Adjustable Ride Height

Nitro	0-50mm	Nitro Gas Charged	G61408	2
AR45 Nitro Max	40 - 75mm	45mm Bore Nitrogen Gas Technology	NM1408	2

#### STRUT TOP HAT & BUMPSTOP

For replacement and pre-assembly			SAC1508	2
----------------------------------	--	--	---------	---

#### UPPER CONTROL ARMS - V6 DIESEL

For Increasing Caster		Suitable for Alloy Steering Knuckle	RCA449	1 PAIR
For Increasing Caster		Suitable for Steel Steering Knuckle	RCA450	1 PAIR

#### COIL SPRINGS

Linear Rate	40mm	0 - 50kg	RC-2562	1 PAIR
Linear Rate	40mm	50 - 100kg	RC-2564	1 PAIR
Linear Rate	40mm	100-150kg	RC-2566	1 PAIR

#### SWAY BAR LINK - HIGHLY RECOMMENDED

Adjustable sway bar link			RSBL260A-14	2
--------------------------	--	--	-------------	---

#### PREASSEMBLED ADJUSTABLE RIDE HEIGHT STRUTS

Nitro + Coil + Top HAT	0-50mm	0 - 50kg (Linear Rate)	G61408-2562	2
Nitro + Coil + Top HAT	0-50mm	50 - 100kg (Linear Rate)	G61408-2564	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	0 - 50kg (Linear Rate)	NM1408-2562	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	50 - 100kg (Linear Rate)	NM1408-2564	2
AR45 Nitro Max + Coil + Top HAT	40 - 75mm	100 - 150kg (Linear Rate)	NM1408-2566	2

### REAR SUSPENSION

PRODUCT	HEIGHT	SPECIFICATION / LOAD RATING	PART NO.	QTY
---------	--------	-----------------------------	----------	-----

#### SHOCK ABSORBERS

Nitro Max	50mm	45mm Bore Nitrogen Gas Technology	NM1409	2
-----------	------	-----------------------------------	--------	---

#### DRIVELINE KIT - **HIGHLY RECOMMENDED**

Centre Bearing Alignment Kit - <b>MUST BE USED ON V6 MODELS</b>			M1400K	1
--	--	--	--------	---

#### LEAF SPRINGS

Comfort Load	40mm	0 - 150kg	RL1410	2
Medium Load	40mm	150 - 300kg	RL1411	2
Constant Load	40mm	350 - 500kg	RL1412	2

#### BUSH SHACKLE U-BOLT KIT. NOTE: For components breakdown refer rear section.

Mounting kit for leaf springs			BSK1039	1
-------------------------------	--	--	---------	---

# BSK KIT COMPONENTS



BSK Kits contain all the suspension components needed to mount leaf springs to a vehicle: shackles, pins kits, polyurethane bushes and u-bolts. To help simplify the ordering process RAW 4x4 have bundled these components together. This listings contain a breakdown of the individual components that make up each kit, in case they need to be ordered separately.

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT
FORD COURIER RANGER RAIDER	Rear	RL892 RL893	BSK1015	U-bolts	U002	4
				Shackle hangers	RGS154	2
				Poly Bush kit - Rear spring front eye	PDB0311K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0502K	1
				Poly Bush kit - Rear spring upper shackle	PDB0753K	1
FORD MAVERICK	Front	RL879	BSK1016	U-bolts - Near side	U021	2
				U-bolts - Driver side	U022	2
				Shackle hangers	RGS151	2
				Shackle pins	RGP168	2
				Poly Bush kit - Full front kit	PDB0978K	1
	Rear	RL880NS RL880DS	BSK1017	U-bolts	U023	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP168	2
FORD RANGER PJ/PK	Rear	RL894 RL895	BSK1018	Poly Bush kit - Full rear kit	PDB2260K	1
				U-bolts	U466	4
				Shackle hangers	RGS154	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0502K	1
FORD RANGER PX I, II, III	Rear	RL902 RL903 RL904	BSK1005	Poly Bush kit - Rear spring upper shackle	PDB0753K	1
				Poly Bush kit - Rear spring lower rear eye	PDB3804K	1
				U-bolts	U163	4
				Shackle hangers	RGS157	2
				Poly Bush kit - Rear spring front eye	PDB3802K	1
		RL905	BSK1036	Poly Bush kit - Rear spring upper shackle	PDB3803K	1
				Poly Bush kit - Rear spring lower rear eye	PDB3804K	1
				U-bolts	U466	4
				Shackle hangers	RGS157	2
				Poly Bush kit - Rear spring front eye	PDB3802K	1
FOTON TUNLAND	Rear	RL877 RL878 RL969	BSK1001	Poly Bush kit - Rear spring upper shackle	PDB3803K	1
				Poly Bush kit - Rear spring lower rear eye	PDB3804K	1
				U-bolts	U005	4
				Shackle hangers	RGS156	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
GREAT WALL	Rear	RL886 RL887	BSK1004	Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2671K	1
				Poly Bush kit - Rear spring upper shackle	PDB2672K	1
				U-bolts	U466	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
HOLDEN COLORADO RC	Rear	RL886 RL887	BSK1004	Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Shackle hangers	RGS153	2
				U-bolts	U466	4

# BSK KIT COMPONENTS

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT
HOLDEN COLORADO RG I & II	Rear	RL788 RL789	BSK1006	U-bolts	U005	4
				Shackle hangers	RGS158	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2231-4K	1
				Poly Bush kit - Rear spring upper shackle	PDB4040K	1
HOLDEN COLORADO RG III	Rear	RL788 RL789	BSK1033	U-bolts	U005	4
				Shackle hangers	RGS158	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2231-4K	1
				Poly Bush kit - Rear spring upper shackle	PDB4040K	1
HOLDEN JACKAROO UBS13, 16, 52	Rear	RL885	BSK1019	Hand brake cable extension kit	M798K	1
				U-bolts	U002	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB2053K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
HOLDEN JACKAROO UBS16, 17, 52, 55	Rear	RL885	BSK1020	U-bolts	U002	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
HOLDEN RODEO TFS, R7, R9	Rear	RL885	BSK1020	U-bolts	U002	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
HOLDEN RODEO RA	Rear	RL886 RL887	BSK1004	U-bolts	U466	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
ISUZU BIG HORN/TROOPER UBS13, 16, 52	Rear	RL885	BSK1019	U-bolts	U002	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB2053K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
ISUZU BIG HORN/TROOPER UBS16, 17, 52, 55 D-MAX/INVADER TFS, R7, R9	Rear	RL885	BSK1020	U-bolts	U002	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
ISUZU D-MAX INVADER RA	Rear	RL886 RL887	BSK1004	U-bolts	U466	4
				Shackle hangers	RGS153	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye & upper rear shackle	PDB2231-8K	1
ISUZU D-MAX 2012 on	Rear	RL788 RL789 RL979	BSK1006	U-bolts	U005	4
				Shackle hangers	RGS158	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2231-4K	1
				Poly Bush kit - Rear spring upper shackle	PDB4040K	1

# BSK KIT COMPONENTS

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT
ISUZU D-MAX RG 08/2020 on	Rear	RL977 RL978 RL979	BSK1038	U-bolts	U005	4
				Shackle hangers	RGS149	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring rear eye	PDB2231-4	1
				Poly Bush kit - Rear spring upper shackle	PDB5310K	1
LDV T60	Rear	RL788 RL789	BSK1035	U-bolts	U005	4
				Shackle hangers	RGS158	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2231-4K	1
				Poly Bush kit - Rear spring upper shackle	PDB4040K	1
				Hand brake cable extension kit	M798K	1
				Headlight and brake adjustment extension arm kit	M1154K	1
MAZDA B2600 BRAVO PROCEED	Rear	RL892 RL893	BSK1015	U-bolts	U002	4
				Shackle hangers	RGS154	2
				Poly Bush kit - Rear spring front eye	PDB0311K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0502K	1
				Poly Bush kit - Rear spring upper shackle	PDB0753K	1
MAZDA BT50 2007 on	Rear	RL894 RL895	BSK1018	U-bolts	U466	4
				Shackle hangers	RGS154	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0502K	1
				Poly Bush kit - Rear spring upper shackle	PDB0753K	1
MAZDA BT50 2011 on	Rear	RL902 RL903 RL904	BSK1005	U-bolts	U163	4
				Shackle hangers	RGS157	2
				Poly Bush kit - Rear spring front eye	PDB3802K	1
				Poly Bush kit - Rear spring upper shackle	PDB3803K	1
				Poly Bush kit - Rear spring lower rear eye	PDB3804K	1
		RL905	BSK1036	U-bolts	U466	4
				Shackle hangers	RGS157	2
				Poly Bush kit - Rear spring front eye	PDB3802K	1
				Poly Bush kit - Rear spring upper shackle	PDB3803K	1
				Poly Bush kit - Rear spring lower rear eye	PDB3804K	1
MAZDA BT50 08/2020 on	Rear	RL977 RL978 RL979	BSK1038	U-bolts	U005	4
				Shackle hangers	GSK394	2
				Shackle pins	GPK393	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring rear eye	PDB2231-4	1
				Poly Bush kit - Rear spring upper shackle	PDB5310K	1
MITSUBISHI TRITON (L200) ME, MF MG, MH, MJ, MK	Rear	RL888 RL889 with 32mm ID eye	BSK1021	U-bolts	U009	4
				Shackle hangers	RGS160	2
				Poly Bush Kit - Rear spring front eye	PDB2294K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0192K	1
				Poly Bush kit - Rear spring upper shackle	PDB0187K	1
		OEM leaf spring with 36mm ID eye		Poly Bush Kit - Rear spring front eye	PDB0713K	1

# BSK KIT COMPONENTS

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT
MITSUBISHI TRITON ML 2006 on MN up to 2012	Rear	RL890 RL891	BSK1008	U-bolts	U701	4
				Shackle hangers	RGS160	2
				Poly Bush Kit - Rear spring front eye	PDB1983K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0192K	1
				Poly Bush kit - Rear spring upper shackle	PDB0187K	1
MITSUBISHI TRITON MN 2012 on	Rear	RL890 RL891	BSK1009	U-bolts	U729	4
				Shackle hangers	RGS160	2
				Poly Bush Kit - Rear spring front eye	PDB1983K	1
				Poly Bush kit - Rear spring lower rear eye	PDB0192K	1
				Poly Bush kit - Rear spring upper shackle	PDB0187K	1
MITSUBISHI TRITON MQ/MR 2015 on	Rear	RL919 RL920	BSK1022	U-bolts	U005	4
				Shackle hangers	RGS161	2
				Poly Bush kit - Rear spring front eye	PDB4631K	1
				Poly Bush kit - Rear spring lower rear eye	PDB4632K	1
				Poly Bush kit - Rear spring upper shackle	PDB0187K	1
NISSAN NAVARA D21 D22	Rear	RL882	BSK1002	U-bolts	U025	4
				Shackle hangers	RGS162	2
				Shackle pins	RGP170	2
				Poly Bush kit - Rear spring front eye	PDB1163K	1
				Poly Bush kit - Rear spring upper & lower eye	PDB0203K	1
NISSAN NAVARA D40	Rear	RL883 RL884	BSK1003	U-bolts	U005	4
				Shackle hangers	RGS163	2
				Poly Bush kit - Rear spring front eye	PDB2766K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2767K	1
				Poly Bush kit - Rear spring upper shackle	PDB2768K	1
NISSAN PATROL GQ (Y60) Ute & Cab Chassis	Front	RL879	BSK1016	U-bolts - Near side	U021	2
				U-bolts - Driver side	U022	2
				Shackle hangers	RGS151	2
				Shackle pins	RGP168	2
				Poly Bush kit - Rear complete kit	PDB0978K	1
	Rear	RL880NS RL880DS	BSK1017	U-bolts	U023	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP168	2
				Poly Bush kit - Rear complete kit	PDB2260K	1
NISSAN PATROL GU (Y61) Ute & Cab Chassis	Rear	RL880NS RL880DS	BSK1023	U-bolts	U454	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP168	2
				Poly Bush kit - Rear complete kit	PDB2260K	1
TOYOTA HILUX LN105, RN105 LN106, RN106  4 RUNNER / SURF	Front	RL871NS RL871DS RL872NS RL872DS	BSK1024	U-bolts	U024	2
				U-bolts	U005	2
				Shackle hangers	RGS152	2
				Shackle pins	RGP166	2
				Poly Bush kit - Front spring rear eye	PDB2240K	1
				Poly Bush kit - Front spring upper & lower eye	PDB2231-8K	1
	Rear	RL873 RL874	BSK1025	U-bolts	U005	4
				Shackle hangers	RGS153	2
				Shackle pins	RGP166	2
				Poly Bush kit - Rear complete kit	PDB2231K	1



# BSK KIT COMPONENTS

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT
TOYOTA HILUX KZN165, 166, 167 LN107, 108, 110, 111, 165, 166, 167, 170, 172 RN106, 110, 111 RZN169, 174R VZN165, 166, 167	Rear	RL875 RL876	BSK1007	U-bolts	U005	4
				Shackle hangers	RGS154	2
				Poly Bush kit - Rear spring front eye	PDB0972K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2231-4K	1
				Poly Bush kit - Rear spring upper shackle	PDB1684K	1
TOYOTA HILUX VIGO	Rear	RL877 RL878 RL969	BSK1001	U-bolts	U005	4
				Shackle hangers	RGS156	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2671K	1
				Poly Bush kit - Rear spring upper shackle	PDB2672K	1
TOYOTA HILUX REVO	Rear	RL960 RL966	BSK1010	U-bolts	U005	4
				Shackle hangers	RGS159	2
				Shackle pins	RGP169	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2671K	1
				Poly Bush kit - Rear spring upper shackle	PDB2672K	1
TOYOTA HILUX REVO	Rear	RL967 RL968	BSK1034	U-bolts	U007	4
				Shackle hangers	RGS159	2
				Shackle pins	RGP169	2
				Poly Bush kit - Rear spring front eye	PDB2670K	1
				Poly Bush kit - Rear spring lower rear eye	PDB2671K	1
				Poly Bush kit - Rear spring upper shackle	PDB2672K	1
TOYOTA LANDCRUISER 60, 70, 75 Series	Front	RL859 RL860 RL863 RL864	BSK1026	U-bolts	U006	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP164	2
				Poly Bush kit - Rear complete kit	PDB2260K	1
TOYOTA LANDCRUISER 60 Series	Rear	RL861NS RL861DS RL862NS RL862DS	BSK1027	U-bolts	U002	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP164	2
				Poly Bush kit - Rear complete kit	PDB2260K	1
TOYOTA LANDCRUISER 70 Series	Rear	RL861NS RL861DS	BSK1028	U-bolts	U002	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP165	2
				Poly Bush kit - Rear complete kit	PDB2260K	1
TOYOTA LANDCRUISER 71 Series	Rear	RL861NS RL861DS RL862NS RL862DS	BSK1029	U-bolts	U002	4
				Shackle hangers	RGS150	2
				Shackle pins	RGP167	2
				Poly Bush kit - Rear spring upper shackle	PDB1781K	1
				Poly Bush kit - Rear spring front & Rear eye	PDB2260-8K	1
TOYOTA LANDCRUISER 75 Series	Rear	RL865 RL866	BSK1030	U-bolts	U002	4
				Shackle hangers	RGS151	2
				Shackle pins	RGP165	2
				Poly Bush kit - Rear complete kit	PDB2270K	1
TOYOTA LANDCRUISER 76 Series	Rear	RL869 RL870	BSK1011	U-bolts	U003	4
				Shackle hangers	RGS150	2
				Shackle pins	RGP167	2
				Poly Bush kit- Rear spring upper shackle	PDB1781K	1
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2



# BSK KIT COMPONENTS

VEHICLE APPLICATION	PLACE ON VEHICLE	APPLICABLE LEAF SPRING	KIT PART NO.	KIT COMPONENTS	COMPONENT PART NO.	QTY /KIT		
TOYOTA LANDCRUISER 78 Series	Rear	RL868	BSK1013	U-bolts	U003	4		
				Shackle hangers	RGS155	2		
				Shackle pins	RGP167	2		
				Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
		RL948 RL949 RL950	BSK1012	U-bolts	U026	4		
				Shackle hangers	RGS150	2		
				Shackle pins	RGP167	2		
				Poly Bush kit- Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
		Use these bush kits with OE shackle pin		Poly Bush kit- Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring rear lower eye	PDB1798K	1		
Poly Bush kit - Rear spring front eye	PDB1782K			1				
TOYOTA LANDCRUISER 79 Series Ute & Cab Chassis FZJ79, HDJ79, HZJ79, VDJ79	Rear	RL868	BSK1013	U-bolts	U003	4		
				Shackle hangers	RGS155	2		
				Shackle pins	RGP167	2		
				Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
		RL948 RL949 RL950	BSK1014	U-bolts	U026	4		
				Shackle hangers	RGS155	2		
				Shackle pins	RGP167	2		
				Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
		Use these bush kits with OE shackle pin OEM to 07/2009		Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring rear lower shackle	PDB1798K	1		
				Poly Bush kit - Rear spring front eye	PDB1782K	1		
		Use these bush kits with OE shackle pin OEM from 08/2009		Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
		TOYOTA LANDCRUISER 79 Series Dual Cab VDJ79R	Rear	RL868	BSK1013	U-bolts	U003	4
						Shackle hangers	RGS155	2
						Shackle pins	RGP167	2
Poly Bush kit - Rear spring upper shackle	PDB1781K					1		
Poly Bush kit - Rear spring front & rear eye	PDB1798K					2		
RL948 RL949 RL950	BSK1014			U-bolts	U026	4		
				Shackle hangers	RGS155	2		
				Shackle pins	RGP167	2		
				Poly Bush kit - Rear spring upper shackle	PDB1781K	1		
				Poly Bush kit - Rear spring front & rear eye	PDB1798K	2		
VOLKSWAGEN AMAROK 02/2011 on	Rear	RL970 RL971 RL972	BSK1037	U-bolts	U002	4		
				Poly Bush kit- Rear spring rear eye	PDB3715K	1		
				Poly Bush kit - Rear spring front eye	PDB3716K	1		
				Poly Bush kit - Rear spring upper shackle	PDB3717K	1		

# 4WD ACCESSORIES: LOAD RATINGS




When heading into the outback bull bars, winches and other accessories are essential pieces of equipment to ensure you are ready to handle any challenge that is thrown your way.

When specing up your suspension kit it is important that you are aware that these accessories fitted to your vehicle, come with a weight penalty that needs to be compensated by the spring rating to carry the additional load.

The adjacent table outlines the additional weight that each accessory adds to your vehicle, assisting us to select the right spring and shock combination for your specific application.

It is important to note that when specing up the springs, the total weight calculated is based on accessories currently fitted to the vehicle not what you plan on fitting in the future.

**PLEASE NOTE:** The weights specified in this table are approximate and are to be used as an indicative guide only. Different makes and models of accessories will have different weights. If you are unsure of your accessories it is recommended that you weigh your vehicle to be sure.



ACCESSORY	TYPE	WEIGHT
Nudge Bar	Vehicle Protection	14 kg
Bull Bar (Aluminium)	Vehicle Protection	40 kg
Standard Bull Bar (Steel)	Vehicle Protection	50 kg
Heavy Duty Bull Bar (Steel)	Vehicle Protection	65 kg
Side Bar	Vehicle Protection	16 kg
Side Step (Steel)	Vehicle Protection	40 kg
Rear Bar (Aftermarket)	Vehicle Protection	50 kg
Winch (Synthetic Rope)	Winches	25 kg
Winch (Steel Cable)	Winches	45 kg
Roof Tray (Steel) Full Length - Empty	Roof Top	60 kg
Roof Tray (Alloy) Full Length - Empty	Roof Top	30 kg
Roof Top Tent	Roof Top	70 kg
Underbody Guard (Front)	Underbody Guards	13 kg
Underbody Guard (Transmission)	Underbody Guards	10 kg
Underbody Guard (Sump)	Underbody Guards	7.5 kg
Underbody Guard (Transfer)	Underbody Guards	10 kg
Awning	Other Accessories	12 kg
Recovery Jack	Other Accessories	16 kg
HD Recovery Kit	Other Accessories	20 kg
Second Battery	Other Accessories	30 kg
Driving Light	Other Accessories	3 kg
Tool Box Alloy (Empty)	Other Accessories	50 kg
80L Fridge (Empty)	Other Accessories	35 kg
Wagon - Rear Tyre Carrier (No Tyre)	Other Accessories	20 kg
Spare wheel	Other Accessories	40 kg
Draw System	Other Accessories	100 kg
Fuel Tank (Long range)	Other Accessories	90 kg
Fiberglass Canopy (rear)	Other Accessories	50 kg
Tray (Steel) UTE	Other Accessories	200 kg
Tray (Aluminium) UTE	Other Accessories	-100 kg

# SUSPENSION KIT COMPONENTS

## ADJUSTABLE PANHARD RODS

NOTE: Advisable when vehicle is raised above 50mm will assist lower applications by imparting better dynamic stability

### NISSAN PATROL

PART NO.	POSITION	MODEL	YEAR
KPR004	FRONT	Nissan Patrol GQ	11/1987 - 1997
KPR004	FRONT	Nissan Patrol GU Series I & II	12/1997 - 08/2001
KPR005	REAR	Nissan Patrol GQ	11/1987 - 1997
KPR005	REAR	Nissan Patrol GU Series I & II	12/1997 - 08/2001
KPR028	FRONT	Nissan Patrol GU Series III	09/2001 on
KPR029	REAR	Nissan Patrol GU Series III	09/2001 on

### TOYOTA LANDCRUISER

PART NO.	POSITION	MODEL	YEAR
KPR007	FRONT	Toyota Landcruiser 80/105 Series	
KPR008	REAR	Toyota Landcruiser 80/105 Series	

## CASTOR BUSH KITS

### FOR RAISED VEHICLES WITH FRONT COIL SUSPENSION

PART NO.	DESCRIPTION
SPF1721K	Offset centre hole to increase/decrease Castor setting. For suspensions approximately 50mm raised
SPF1721XK	Extra offset centre hole to increase/decrease Castor setting. For suspensions approximately 70-100mm raised

### SUITS THE FOLLOWING VEHICLES

MAKE	MODEL
Nissan Patrol	GQ (Y60) and GU (Y61) Wagon, Ute & Cab Chassis
Toyota Landcruiser	FZJ78, HZJ78, FZJ79, HZJ79, FJ80, FZJ80, HZJ80, FZJ105R, HZJ105R

## LONG TRAVEL SHOCKS - TO SUIT 4" (100mm) RAISED SUSPENSIONS

NOTE: Not recommended for public road use - unless vehicle has engineering certificate compliance.

### NISSAN PATROL

PART NO.	POSITION	MODEL
NM272M1	FRONT	GQ, GU Series Coil Spring Front
NM503	REAR	GQ, GU Series Coil Spring Rear

### TOYOTA LANDCRUISER

PART NO.	POSITION	MODEL
NM497	FRONT	80, 105 Series Coil Spring Front
NM498	REAR	80, 105 Series Coil Spring Rear

## ADJUSTABLE REAR TRAILING ARMS - TO SUIT 4" (100mm) RAISED SUSPENSIONS

### NISSAN PATROL

PART NO.	POSITION	MODEL
KTA-106	REAR	GQ, GU Patrol

# WARRANTY TERMS & CONDITIONS

## WARRANTY

No warranty claims will be considered if customer's account is outside our trading terms.

## SHOCK ABSORBERS

The supplier will warrant all shock absorbers against defects in materials or faulty workmanship provided the shock absorbers have been correctly installed as recommended by the supplier with the correct spring listing. The following warranty periods apply from date of fitment, which ever occurs first.

Nitro - G series: 2 years/unlimited km

NitroMax - NM series: 2 years/unlimited km

Predator - PR series: 2 year/unlimited km

## COIL SPRINGS

All coil springs are warranted for a period of 2 years from faulty manufacture, breakage and sagging (being loss of unladen height of more than 10 mm).

## LEAF SPRINGS

Leaf springs listed in this catalogue are warranted for a period of 12 months against faulty manufacture, breakage and sagging (being the loss of unladen camber by more than 12 mm).

## SHACKLES AND PIN KITS

Spring shackles, pins and U-Bolts are covered by a 12 month warranty against defects in materials or faulty workmanship provided the products have been correctly installed. RAW 4x4 recommend that U-Bolts are retightened after initial 500 km's and are then checked at regular intervals.

## POLYURETHANE BUSHES

All polyurethane suspension bushes are warranted to the original purchaser for a period of 2 years from date of purchase against defects in materials or faulty workmanship provided the bushes have

been correctly installed.

RAW 4x4 recommend shackles and pins should be replaced when there is any evidence of severe rust or wear to optimise the life expectancy of the bushes.

## TORSION BARS

All torsion bars are warranted to the original purchaser for a period of 12 months.

## GENERAL

The above-mentioned warranties do not cover defects due to accident, misuse, improper installation; this includes neglect and wear and tear. The supplier excludes liability under this warranty for damage or wear of any component due to:

1. Incorrect installation of components
2. Products that have been modified or not used for the specified application as stated in the catalogue
3. Exceeding load specifications of the product
4. Incorrect information provided by the installer or customer
5. RAW 4x4 suspension products are designed for "normal" use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports or competition racing.

It is the responsibility of the owner or driver of the vehicle to immediately notify the installer or place of purchase of the components of a possible warranty claim to prevent further damage to other components or compromise the safety of the vehicle.

Consequential damage costs and injury, however caused, are not covered under warranty; (written or implied). Warranty replacements will be despatched freight paid by the supplier or refunded at the original purchase

price at the supplier's sole discretion.

The supplier's responsibility does not exceed the original purchase price of the product claimed to be defective. The supplier is not responsible for special, incidental or consequential damages, installation charges, labour charges or any other costs.

## WARRANTY CLAIM PROCESS

Please contact the place of purchase or installation if you have a warranty concern.

To ensure your claim is processed as efficiently as possible the following information will be required:

- Description of concern
- Pictures of components and vehicle concern
- Measurements at time of installation and at the time of concern
- Date of fitment and kilometres travelled
- Proof of purchase
- Customer Warranty Registration Form

## BACK ORDER

The customer will be advised if goods cannot be supplied ex stock at time of order and will be placed on back order and supplied as soon as goods are received by the supplier. Goods will remain on back order for a period of 60 days from placement of original order and will then be deemed to lapse, which may require re-ordering.

## DISCLAIMER

Manufacturers names, part numbers, symbols or other references appearing in the RAW 4x4 Parts Catalogue are used for reference for order of goods only. All information supplied was correct, to the best of our knowledge, at the time of publication and is subject to change.

## SHOCK & STEERING DAMPER ARMOR offers tough, long lasting protection for most shock absorbers

- TRIM TO FIT DIFFERENT LENGTHS
- FITS MULTIPLE BODY SIZES
- MADE IN USA
- QUICK INSTALLATION & REMOVAL
- UNIQUE ATTACHMENT METHODS ALLOWS

Constructed of durable thermoplastic polyurethane preventing pitting & dents to exposed shock absorbers & steering dampers. This unique reusable attachment method allows easy installation and removal for cleaning or maintenance.



APPLICATION	PART NO.
Nitro 56mm body	KU71112BK
NitroMax 60mm body	KU71112BK
Predator Series	KU71112BK-50
NitroMax 70mm body	KU71112BK-70



# CUSTOMER NEW PRODUCT REGISTRATION

NOTE: The online version of this form can be found on the "Forms" page under the menu TECH, TIPS & INFO on our website

TO VALIDATE THE WARRANTY OF ANY RAW 4X4 PRODUCT PURCHASED THE CUSTOMER MUST FILL OUT A COPY OF THIS FORM AND SEND IT TO POWERDOWN EITHER VIA FAX: 02 4949 0099 OR EMAIL: raw4x4@powerdown.com.au

Customer:..... Retailer:.....  
 Address:..... Address:.....  
 Email:..... Sales Person:.....  
 Tel.:..... Date of Installation:..... Tel.:.....  
 Vehicle Make:..... Build Date:..... Registration No.:.....  
 Vehicle Model:..... Odometer Reading at time of installation:.....

## ACCESSORIES CHECK LIST

Please tick where appropriate and enter relevant information where requested.

BODY TYPE: ☐ Wagon ☐ SWB ☐ Dual Cab ☐ Extra Cab ☐ Single Cab

TRAY BODY TYPE: ☐ Steel ☐ Aluminium ☐ Wood

TRAY SIZE: Length..... mm x Width..... mm

ENGINE TYPE: ☐ Petrol ☐ Diesel ☐ Turbo Diesel ☐ LPG

ENGINE SIZE: ☐ 4 ☐ 6 ☐ 8 Capacity:.....

### OTHER WEIGHT CONTRIBUTING ACCESSORIES

BULL BAR: ☐ Yes ☐ No TYPE: ☐ Steel ☐ Aluminium ☐ Plastic

WINCH: ☐ Syn. Rope ☐ Steel cable ☐ Electric ☐ PTO ☐ Hyd. Rated Size:.....

DUAL BATTERY: ☐ Drivers Side ☐ Passenger Side

SIDE RAILS: ☐ Steel ☐ Aluminium

LPG CONVERSION: ☐ Yes ☐ No

Capacity/Litres:..... Location:.....

Amount in tank at fitment: ☐ 1/4 ☐ 1/2 ☐ 3/4 ☐ Full

AFTERMARKET (FUEL) TANKS: ☐ Yes ☐ No

REPLACEMENT TANK: Capacity/Litres:..... Location:.....

Amount in tank at fitment: ☐ 1/4 ☐ 1/2 ☐ 3/4 ☐ Full

AUXILIARY TANK: Capacity/Litres:..... Location:.....

Amount in tank at fitment: ☐ 1/4 ☐ 1/2 ☐ 3/4 ☐ Full

WATER TANK: Capacity/Litres:..... Location:.....

Amount in tank at fitment: ☐ 1/4 ☐ 1/2 ☐ 3/4 ☐ Full

TOW BAR ☐ REAR STEP TOW BAR ☐

What is normally towed?..... Weight/kgs:.....

SPARE WHEEL(S)/CARRIER POSITION: ☐ LHS ☐ RHS ☐ TWIN

REAR DRAW SYSTEM: Length..... mm ☐ Full ☐ Half

ROOF RACK: Length..... mm ☐ Full ☐ Half Type: ☐ Steel ☐ Aluminium

TOOL BOX: Position:..... Type:..... Size:.....

OTHER WEIGHT CONTRIBUTING ACCESSORIES:.....

### CUSTOMER'S DECLARATION:

I have read and accepted the RAW 4x4 Suspension Equipment conditions of Warranty outlined in this catalogue. I declare that the information supplied by me is true and accurate in every detail. I will carry out normal maintenance as required, i.e. Regularly check U-bolt tension and bush lubrication.

Name:..... Signature:..... Date:.....

RAW 4X4 IS DISTRIBUTED BY: POWERDOWN AUSTRALIA - 42 ENTERPRISE DRIVE, BERESFIELD NSW 2322 TEL.: 02 4949 0000 EMAIL: sales@powerdown.com.au

## RAW 4X4 SUSPENSION EQUIPMENT DETAILS

All details must be completed for any warranty claims to be valid.


POSITION	FRONT LEFT SIDE	FRONT RIGHT SIDE	REAR LEFT SIDE	REAR RIGHT SIDE
ITEM FITTED	PART No.	PART No.	PART No.	PART No.
Shock Absorbers				
Coil Springs				
Leaf Springs				
U-Bolts				
Greasable Shackle				
Pin kit				
Steering Stabiliser				
Torsion Bar				
Panhard Rod				
Trailing Arm				
Poly Bushes				
Castor Bushes				

BRAKE TEST PERFORMED AFTER FITMENT: ☐ Yes ☐ No

### RIDE HEIGHT MEASUREMENT / RIM TO GUARD / EYEBROW HEIGHT

Refer to page 130 of the RAW catalogue to see how to measure ride height correctly. Take bump stop clearances on older leaf spring vehicles.

NOTE: THIS SECTION MUST BE COMPLETED AT THE 500km CHECK






# RAW 4X4

# HOW TO MEASURE

## SHOCK ABSORBERS

**STEP 1:** Determine the configuration of the shock absorber, see examples below.

**STEP 2:** Measure the fully extended and collapsed lengths from the points marked on the diagrams.




## MEASURING EYEBROW HEIGHT


Before taking measurements make sure that the vehicle is fully unloaded and on a flat surface. Measure the distance from the top centre point of the guard to the centre of the wheel.



# COIL SPRINGS



# LEAF SPRINGS



# TORSION BARS





# PRODUCT ID FORM

COMPLETE THE FORM AND SEND IT TO RAW 4X4 VIA FAX: 02 4949 0099 OR EMAIL: sales@powerdown.com.au

DISTRIBUTOR <input type="text"/>		CONTACT NAME <input type="text"/>		DATE <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	
PHONE <input type="text"/>	FAX <input type="text"/>	SIGNATURE <input type="text"/>		TIME <input type="text"/> <input type="text"/> : <input type="text"/> <input type="text"/>	AM/PM <input type="text"/> <input type="text"/>
VEHICLE - MAKE / MODEL / YEAR <input type="text"/>					
SUSPENSION - MAKE / MODEL <input type="text"/>					

SUSPENSION TYPE		POSITION	
<input type="checkbox"/> AIR SUSPENSION	<input type="checkbox"/> LEAF	<input type="checkbox"/> STEER AXLE	<input type="checkbox"/> DRIVE AXLE
<input type="checkbox"/> PARABOLIC	<input type="checkbox"/> TORSION BAR	<input type="checkbox"/> TAG AXLE	<input type="checkbox"/> CAB
<input type="checkbox"/> OTHER <input type="text"/>		<input type="checkbox"/> TRAILER	<input type="checkbox"/> OTHER <input type="text"/>





LIST ALL NUMBERS + O.E. NUMBERS (WHEN POSSIBLE)





<input type="checkbox"/> FRONT SHOCK	<input type="text"/>
<input type="checkbox"/> REAR SHOCK	<input type="text"/>
<input type="checkbox"/> CAB DAMPER	<input type="text"/>
<input type="checkbox"/> OTHER	<input type="text"/>

INDICATE REQUIREMENTS

☐ STEEL SLEEVED BUSHES INSTALLED ☐ PLAIN RUBBER/URETHANE BUSHES INSTALLED

SELECT SHOCK ABSORBER MOUNTING CONFIGURATION & INDICATE MEASUREMENTS

<input type="checkbox"/> EYE UPPER & EYE LOWER MOUNTS	<input type="checkbox"/> EYE UPPER & PIN LOWER MOUNTS	<input type="checkbox"/> PIN UPPER & EYE LOWER MOUNTS	<input type="checkbox"/> PIN UPPER & PIN LOWER MOUNTS
 <p>LENGTH EXTENDED <input type="text"/> mm</p> <p>COMPRESSED <input type="text"/> mm</p> <p>DUST SHIELD <input type="text"/> mm</p> <p>BODY <input type="text"/> mm</p>	 <p>LENGTH EXTENDED <input type="text"/> mm</p> <p>COMPRESSED <input type="text"/> mm</p> <p>DUST SHIELD <input type="text"/> mm</p> <p>BODY <input type="text"/> mm</p>	 <p>LENGTH EXTENDED <input type="text"/> mm</p> <p>COMPRESSED <input type="text"/> mm</p> <p>DUST SHIELD <input type="text"/> mm</p> <p>BODY <input type="text"/> mm</p>	 <p>LENGTH EXTENDED <input type="text"/> mm</p> <p>COMPRESSED <input type="text"/> mm</p> <p>DUST SHIELD <input type="text"/> mm</p> <p>BODY <input type="text"/> mm</p>

EYERING/BUSHING	EYERING/BUSHING WITH SLEEVE	EYERING/BUSHING WITH BARPIN	PIN (STUD) MOUNT																																								
 <p>A = Overall Length of Bush (mm)</p> <p>B = Internal Diameter (mm)</p> <table border="1"><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr></table>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	 <p>A = Overall Length of Sleeve (mm)</p> <p>B = Internal Diameter (mm)</p> <table border="1"><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr></table>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	 <p>A = Overall Barpin length (mm)</p> <p>B = Internal Diameter (mm)</p> <p>C = Centre to Centre (mm)</p> <table border="1"><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr></table>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	 <p>A = Thread Length (mm)</p> <p>B = Outer Diameter (mm)</p> <p>C = Overall Length (mm)</p> <table border="1"><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr><tr><td>UPPER MOUNT</td><td>LOWER MOUNT</td></tr><tr><td><input type="text"/></td><td><input type="text"/></td></tr></table>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>	UPPER MOUNT	LOWER MOUNT	<input type="text"/>	<input type="text"/>
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										
UPPER MOUNT	LOWER MOUNT																																										
<input type="text"/>	<input type="text"/>																																										





# SHOCK WITH LEAF SPRING SUSPENSION

HOW TO CHECK FOR CORRECT APPLICATION


DISTRIBUTOR <input type="text"/>		CONTACT NAME <input type="text"/>	DATE <input type="text"/> - <input type="text"/> - <input type="text"/>
PHONE <input type="text"/>	FAX <input type="text"/>	SIGNATURE <input type="text"/>	
VEHICLE - MAKE & MODEL <input type="text"/>		VEHICLE - YEAR <input type="text"/>	
OE SHOCK NUMBER <input type="text"/>		SUSPENSION <input type="checkbox"/> MODIFIED <input type="checkbox"/> STANDARD	

**NOTE:**  
WARRANTY IS VOID  
IF ALL DETAILS ARE  
NOT COMPLETED.

## STEP 1: Check Static Height of shock absorber

This is done from centre of mounting point top to centre of mounting point bottom (refer drawing).

NOTE: Measure when vehicle unloaded and at kerb height.



STATIC HEIGHT


PLEASE NOTE DRAWINGS ARE FOR ILLUSTRATION PURPOSES ONLY

 mm

## STEP 2: Check Bump Stop clearance

This is done from lower side of rail to top of bump stop (refer drawing).

NOTE: Measure when vehicle unloaded and at kerb height.




BUMP STOP CLEARANCE

PLEASE NOTE DRAWINGS ARE FOR ILLUSTRATION PURPOSES ONLY

 mm

## STEP 3: Check Full Extension of suspension

This is done by firstly disconnecting lower shock mounts then jack vehicle up, placing stands under rails, lowering suspensions down, then measuring from centre of mounting point to centre of mounting point (refer drawing).



EXTENSION HEIGHT OF SUSPENSION

PLEASE NOTE DRAWINGS ARE FOR ILLUSTRATION PURPOSES ONLY

 mm

INDICATE BUSHING

☐

STEEL SLEEVED BUSHES INSTALLED

☐

PLAIN RUBBER/URETHANE BUSHES INSTALLED

### SUSPENSION TYPE

☐ PARABOLIC



A parabolic spring can be made up of 2 to 3 leaves, with a gap in between each leaf. These leaves do not contact each other so there is no inter leaf friction.

☐ LEAF



A multileaf spring pack can be made up of 5 to 12 leaves depending on the vehicle weight and the maximum load the vehicle is required to carry.

### POSITION

☐ STEER AXLE


☐ TAG AXLE

☐ TRAILER

☐ DRIVE

### SELECT VEHICLE MOUNTING CONFIGURATION & FILL IN MEASUREMENTS

☐ EYE/EYE MOUNTS



UPPER EYE

INNER DIAMETER

mm

OUTER DIAMETER

mm

BUSH OR SLEEVE WIDTH

mm

LOWER EYE

INNER DIAMETER

mm


OUTER DIAMETER

mm

BUSH OR SLEEVE WIDTH

mm

☐ EYE/PIN MOUNTS



UPPER EYE

INNER DIAMETER

mm

OUTER DIAMETER

mm

BUSH OR SLEEVE WIDTH

mm

LOWER PIN

LENGTH

mm


DIAMETER

mm

THREAD LENGTH

mm

☐ PIN/EYE MOUNTS



UPPER PIN

LENGTH

mm

DIAMETER

mm

THREAD LENGTH

mm

LOWER EYE

INNER DIAMETER

mm


OUTER DIAMETER

mm

BUSH OR SLEEVE WIDTH

mm

☐ PIN/PIN MOUNTS



UPPER PIN

LENGTH

mm

DIAMETER

mm

THREAD LENGTH

mm

LOWER PIN

LENGTH

mm

DIAMETER

mm

THREAD LENGTH

mm

PHOTOCOPY THIS PAGE, FILL OUT THE FORM AND SEND IT TO RAW 4x4  
VIA FAX:  
02 4949 0099  
OR VIA EMAIL TO:  
sales@powerdown.com.au


HOW TO CORRECTLY MEASURE SHOCK ABSORBER EYE MOUNT & PIN MOUNT

### EYE MOUNT

A = INNER DIAMETER

B = OUTER DIAMETER

C = WIDTH




### PIN MOUNT

D = LENGTH

E = DIAMETER

F = THREAD LENGTH





42 Enterprise dr. Beresfield NSW 2322 AUSTRALIA



+61 (02) 4949 0000



sales@raw4x4.com.au



www.raw4x4.com.au



@RAW4x4Australia



@raw4x4australia



@RAW4x4Suspensions

